

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	日本人口			世界人口			男	女	総数 1
											男	女	総数 1	男	女	総数 1			
全部位	C00-C96	6,827	5,199	12,026	100.0	100.0	100.0	1,050.3	722.1	877.8	446.1	327.6	376.1	317.0	245.1	274.3	37.4	26.6	31.6
口腔・咽頭	C00-C14	185	85	270	2.7	1.6	2.2	28.5	11.8	19.7	14.1	6.2	9.8	10.3	4.7	7.3	1.2	0.5	0.8
食道	C15	262	53	315	3.8	1.0	2.6	40.3	7.4	23.0	18.0	2.8	9.8	12.8	1.9	7.0	1.7	0.2	0.9
胃	C16	1,081	497	1,578	15.8	9.6	13.1	166.3	69.0	115.2	68.8	22.1	43.2	48.3	15.7	30.6	5.8	1.7	3.7
大腸（結腸・直腸）	C18-C20	1,003	930	1,933	14.7	17.9	16.1	154.3	129.2	141.1	69.2	45.3	56.4	49.6	32.3	40.4	6.1	3.7	4.8
結腸	C18	659	658	1,317	9.7	12.7	11.0	101.4	91.4	96.1	43.1	29.4	35.7	30.6	20.7	25.2	3.6	2.4	3.0
直腸	C19-C20	344	272	616	5.0	5.2	5.1	52.9	37.8	45.0	26.1	15.9	20.7	19.1	11.7	15.2	2.4	1.3	1.8
肝および肝内胆管	C22	341	192	533	5.0	3.7	4.4	52.5	26.7	38.9	20.5	7.7	13.4	14.1	5.1	9.1	1.5	0.5	1.0
胆のう・胆管	C23-C24	150	133	283	2.2	2.6	2.4	23.1	18.5	20.7	8.2	3.9	5.8	5.4	2.5	3.8	0.5	0.2	0.4
膵臓	C25	242	257	499	3.5	4.9	4.1	37.2	35.7	36.4	15.9	11.5	13.5	11.4	8.1	9.6	1.3	0.9	1.1
喉頭	C32	81	4	85	1.2	0.1	0.7	12.5	0.6	6.2	5.6	0.2	2.6	4.0	0.1	1.9	0.5	0.0	0.2
肺	C33-C34	1,047	533	1,580	15.3	10.3	13.1	161.1	74.0	115.3	62.6	23.8	41.0	43.2	16.4	28.4	5.2	2.0	3.5
皮膚	C43-C44	139	149	288	2.0	2.9	2.4	21.4	20.7	21.0	7.8	5.6	6.5	5.4	4.0	4.6	0.6	0.4	0.5
乳房	C50	7	1,019	1,026	0.1	19.6	8.5	1.1	141.5	74.9	0.4	91.7	47.6	0.3	70.4	36.4	0.0	7.8	4.0
子宮	C53-C55	-	319	319	-	6.1	2.7	-	44.3	-	-	34.6	-	-	27.1	-	-	2.8	-
子宮頸部	C53	-	116	116	-	2.2	1.0	-	16.1	-	-	15.6	-	-	12.2	-	-	1.2	-
子宮体部	C54	-	197	197	-	3.8	1.6	-	27.4	-	-	18.9	-	-	14.8	-	-	1.6	-
卵巣	C56	-	128	128	-	2.5	1.1	-	17.8	-	-	12.6	-	-	10.0	-	-	1.0	-
前立腺	C61	1,134	-	1,134	16.6	-	9.4	174.5	-	-	65.8	-	-	44.3	-	-	5.6	-	-
膀胱	C67	229	72	301	3.4	1.4	2.5	35.2	10.0	22.0	13.1	3.0	7.5	9.2	2.2	5.3	1.1	0.3	0.6
腎・尿路（膀胱除く）	C64-C66 C68	245	112	357	3.6	2.2	3.0	37.7	15.6	26.1	17.8	5.8	11.3	12.8	4.0	8.1	1.6	0.5	1.0
脳・中枢神経系	C70-C72	43	34	77	0.6	0.7	0.6	6.6	4.7	5.6	4.3	3.1	3.7	3.6	2.9	3.2	0.3	0.3	0.3
甲状腺	C73	54	149	203	0.8	2.9	1.7	8.3	20.7	14.8	6.5	15.7	11.2	5.5	12.8	9.2	0.5	1.3	0.9
悪性リンパ腫	C81-C85 C96	210	226	436	3.1	4.3	3.6	32.3	31.4	31.8	15.1	13.6	14.2	11.2	10.2	10.6	1.3	1.1	1.2
多発性骨髄腫	C88-C90	54	41	95	0.8	0.8	0.8	8.3	5.7	6.9	2.9	2.0	2.3	1.8	1.4	1.5	0.2	0.2	0.2
白血病	C91-C95	84	64	148	1.2	1.2	1.2	12.9	8.9	10.8	8.6	4.8	6.6	7.9	4.4	6.1	0.7	0.4	0.5

1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

## B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	日本人口			世界人口			男	女	総数 1
											男	女	総数 1	男	女	総数 1			
全部位	C00-C96 D00-D09	7,429	5,839	13,268	100.0	100.0	100.0	1,142.9	811.0	968.5	488.2	398.6	431.5	347.3	301.0	316.6	41.1	31.9	36.1
食道	C15 D001	283	59	342	3.8	1.0	2.6	43.5	8.2	25.0	19.5	3.2	10.7	13.9	2.2	7.6	1.8	0.3	1.0
大腸（結腸・直腸） 2	C18-C20 D010-D012	1,304	1,117	2,421	17.6	19.1	18.2	200.6	155.1	176.7	91.8	56.8	73.0	66.3	40.6	52.6	8.2	4.7	6.4
結腸 2	C18 D010	876	791	1,667	11.8	13.5	12.6	134.8	109.9	121.7	59.3	37.2	47.4	42.5	26.3	33.8	5.2	3.0	4.1
直腸 2	C19-C20 D011-D012	428	326	754	5.8	5.6	5.7	65.8	45.3	55.0	32.5	19.6	25.6	23.8	14.3	18.8	3.0	1.6	2.3
肺	C33-C34 D021-D022	1,065	560	1,625	14.3	9.6	12.2	163.8	77.8	118.6	63.8	25.5	42.4	44.1	17.6	29.4	5.3	2.1	3.6
皮膚	C43-C44 D030-D049	166	177	343	2.2	3.0	2.6	25.5	24.6	25.0	9.8	6.7	8.1	6.9	4.7	5.7	0.7	0.4	0.6
乳房	C50 D05	8	1,111	1,119	0.1	19.0	8.4	1.2	154.3	81.7	0.5	102.0	52.9	0.3	78.3	40.4	0.1	8.6	4.4
子宮	C53-C55 D06	-	544	544	-	9.3	4.1	-	75.6	-	-	76.2	-	-	61.5	-	-	5.7	-
子宮頸部	C53 D06	-	341	341	-	5.8	2.6	-	47.4	-	-	57.2	-	-	46.6	-	-	4.1	-
膀胱	C67 D090	410	110	520	5.5	1.9	3.9	63.1	15.3	38.0	24.1	5.1	13.5	16.6	3.6	9.4	1.9	0.4	1.1

1 総数は男女および性別不詳の合計

2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2018年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	6,827	4	3	1	4	10	14	26	26	47	84	124	270	575	1,129	1,242	1,227	1,015	714	250	55	7	0	
	口腔・咽頭	C00-C14	185	0	0	0	0	0	0	0	1	1	3	7	4	13	26	34	27	27	25	13	3	1	0	0
	食道	C15	262	0	0	0	0	0	0	0	1	0	0	3	6	14	30	50	55	48	36	15	4	0	0	0
	胃	C16	1,081	0	0	0	0	0	0	0	2	4	4	17	13	42	101	188	192	184	174	125	29	6	0	0
	大腸（結腸・直腸）	C18-C20	1,003	0	0	0	1	1	2	3	2	12	15	25	59	87	173	195	177	111	99	38	3	0	0	
	結腸	C18	659	0	0	0	1	0	0	3	1	5	9	17	36	47	105	121	115	78	84	34	3	0	0	
	直腸	C19-C20	344	0	0	0	0	1	2	0	1	7	6	8	23	40	68	74	62	33	15	4	0	0	0	
	肝および肝内胆管	C22	341	0	0	0	0	0	0	1	1	1	3	1	8	10	21	47	54	61	66	46	14	4	3	0
	胆のう・胆管	C23-C24	150	0	0	0	0	0	0	0	0	1	1	2	0	3	9	15	17	29	38	25	8	2	0	0
	膵臓	C25	242	0	0	0	0	0	0	0	0	0	1	3	6	12	25	53	29	47	24	26	13	3	0	0
	喉頭	C32	81	0	0	0	0	0	0	0	0	0	0	0	1	6	13	11	16	17	9	4	3	1	0	0
	肺	C33-C34	1,047	0	0	0	0	0	1	1	1	2	6	20	30	70	183	189	189	174	125	44	11	1	0	
	皮膚	C43-C44	139	0	0	0	0	0	0	0	0	0	0	0	3	2	12	22	19	22	23	22	11	2	1	0
	乳房	C50	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	1	0	0	0	0	0
	前立腺	C61	1,134	0	0	0	0	0	0	0	0	0	0	0	11	26	78	176	256	243	188	111	32	13	0	0
	膀胱	C67	229	1	0	0	0	0	0	0	0	0	0	1	0	6	17	40	38	43	39	29	12	1	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	245	0	0	0	0	0	0	0	1	2	0	12	9	13	20	41	53	36	33	19	5	1	0	0
	脳・中枢神経系	C70-C72	43	1	0	0	1	0	0	2	1	5	0	2	2	4	6	3	4	6	4	1	1	1	0	0
	甲状腺	C73	54	0	0	0	1	1	3	1	1	4	7	5	3	5	10	5	4	2	2	0	0	0	0	
	悪性リンパ腫	C81-C85 C96	210	0	0	0	0	2	1	1	0	3	3	5	12	27	33	32	29	28	19	12	3	0	0	
	多発性骨髄腫	C88-C90	54	0	0	0	0	0	0	0	0	0	0	0	1	0	2	4	13	14	11	5	3	1	0	0
	白血病	C91-C95	84	2	3	0	1	3	1	4	2	2	1	1	5	7	11	11	13	6	6	5	0	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

32 表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2018年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	5,199	5	1	4	6	6	11	36	65	146	198	234	245	369	638	648	734	741	637	336	127	12	0	
	口腔・咽頭	C00-C14	85	0	0	0	0	0	0	0	1	1	4	4	11	3	3	12	8	12	7	12	3	4	0	0
	食道	C15	53	0	0	0	0	0	0	0	0	1	1	0	1	2	3	8	9	7	13	5	2	1	0	0
	胃	C16	497	1	0	0	0	0	0	0	0	1	5	7	5	12	34	51	62	93	84	87	47	7	1	0
	大腸（結腸・直腸）	C18-C20	930	0	0	0	1	0	1	1	7	4	15	29	30	61	97	129	142	163	140	80	28	2	0	
	結腸	C18	658	0	0	0	1	0	0	0	3	2	9	16	17	37	63	99	104	112	105	68	20	2	0	
	直腸	C19-C20	272	0	0	0	0	0	1	1	4	2	6	13	13	24	34	30	38	51	35	12	8	0	0	
	肝および肝内胆管	C22	192	0	0	0	0	0	0	0	0	1	2	0	3	6	4	18	22	40	37	39	13	7	0	0
	胆のう・胆管	C23-C24	133	0	0	0	0	0	0	0	0	0	0	0	1	0	3	9	11	24	29	31	16	8	1	0
	膵臓	C25	257	0	0	0	1	0	0	0	0	1	2	3	6	9	13	25	27	36	57	50	18	7	2	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	0	
	肺	C33-C34	533	0	0	0	0	0	0	0	0	5	4	11	12	27	66	86	94	96	79	38	14	1	0	
	皮膚	C43-C44	149	0	0	0	0	0	0	0	0	1	1	3	1	2	8	14	11	16	29	28	26	8	1	0
	乳房	C50	1,019	0	0	0	0	0	0	3	9	24	72	82	88	85	103	148	128	101	86	53	27	10	0	0
	子宮	C53-C55	319	0	0	0	0	1	2	12	15	25	37	29	33	31	46	19	28	16	17	6	2	0	0	
	子宮頸部	C53	116	0	0	0	0	1	1	9	12	15	13	11	14	6	10	9	6	4	2	1	2	0	0	
	子宮体部	C54	197	0	0	0	0	0	1	3	3	10	24	18	19	25	35	10	21	12	12	4	0	0	0	
	卵巣	C56	128	0	0	0	1	1	1	3	4	6	11	14	10	17	12	10	14	11	7	4	1	1	0	
	膀胱	C67	72	0	0	0	0	0	0	0	0	1	0	1	0	1	5	9	10	10	11	14	6	3	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	112	0	0	0	0	0	0	0	0	0	0	3	6	5	2	17	18	18	21	11	6	4	1	0
	脳・中枢神経系	C70-C72	34	1	0	1	1	0	0	0	0	0	2	2	2	3	3	5	3	3	1	5	1	1	0	0
	甲状腺	C73	149	0	0	0	1	4	4	3	5	10	10	12	10	12	26	22	20	5	3	2	0	0	0	
	悪性リンパ腫	C81-C85 C96	226	0	0	1	1	0	0	4	0	5	9	5	8	18	29	33	37	29	21	19	7	0	0	
	多発性骨髄腫	C88-C90	41	0	0	0	0	0	0	0	0	0	0	1	0	2	2	5	9	6	11	4	1	0	0	
	白血病	C91-C95	64	2	1	1	0	0	0	0	2	1	1	2	2	2	4	7	8	10	6	7	6	2	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2018年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数	2 全部位	C00-C96	12,026	9	4	5	10	16	25	62	91	193	282	358	515	944	1,767	1,890	1,961	1,756	1,351	586	182	19	0	
	口腔・咽頭	C00-C14	270	0	0	0	0	0	0	2	2	7	11	15	16	29	46	35	39	32	25	6	5	0	0	
	食道	C15	315	0	0	0	0	0	0	1	1	1	3	7	16	33	58	64	55	49	20	6	1	0	0	
	胃	C16	1,578	1	0	0	0	0	0	2	5	9	24	18	54	135	239	254	277	258	212	76	13	1	0	
	大腸（結腸・直腸）	C18-C20	1,933	0	0	0	2	1	3	4	9	16	30	54	89	148	270	324	319	274	239	118	31	2	0	
	結腸	C18	1,317	0	0	0	2	0	0	3	4	7	18	33	53	84	168	220	219	190	189	102	23	2	0	
	直腸	C19-C20	616	0	0	0	0	1	3	1	5	9	12	21	36	64	102	104	100	84	50	16	8	0	0	
	肝および肝内胆管	C22	533	0	0	0	0	0	0	1	1	2	5	1	11	16	25	65	76	101	103	85	27	11	3	0
	胆のう・胆管	C23-C24	283	0	0	0	0	0	0	0	1	1	2	1	3	12	24	28	53	67	56	24	10	1	0	
	膵臓	C25	499	0	0	0	1	0	0	0	1	3	6	12	21	38	78	56	83	81	76	31	10	2	0	
	喉頭	C32	85	0	0	0	0	0	0	0	0	0	0	1	6	13	13	16	17	10	5	3	1	0	0	
	肺	C33-C34	1,580	0	0	0	0	0	1	1	1	7	10	31	42	97	249	275	283	270	204	82	25	2	0	
	皮膚	C43-C44	288	0	0	0	0	0	0	0	1	1	3	4	4	20	36	30	38	52	50	37	10	2	0	
	乳房	C50	1,026	0	0	0	0	0	3	9	24	72	82	88	85	104	149	130	103	87	53	27	10	0	0	
	子宮	C53-C55	319	0	0	0	0	1	2	12	15	25	37	29	33	31	46	19	28	16	17	6	2	0	0	
	子宮頸部	C53	116	0	0	0	0	1	1	9	12	15	13	11	14	6	10	9	6	4	2	1	2	0	0	
	子宮体部	C54	197	0	0	0	0	0	1	3	3	10	24	18	19	25	35	10	21	12	12	4	0	0	0	
	卵巣	C56	128	0	0	0	1	1	1	3	4	6	11	14	10	17	12	10	14	11	7	4	1	1	0	
	前立腺	C61	1,134	0	0	0	0	0	0	0	0	0	0	11	26	78	176	256	243	188	111	32	13	0	0	
	膀胱	C67	301	1	0	0	0	0	0	0	1	0	2	0	7	22	49	48	53	50	43	18	4	3	0	
	腎・尿路（膀胱除く）	C64-C66 C68	357	0	0	0	0	0	0	1	2	0	15	15	18	22	58	71	54	54	30	11	5	1	0	
	脳・中枢神経系	C70-C72	77	2	0	1	2	0	0	2	1	7	2	4	5	7	11	6	7	7	9	2	2	0	0	
	甲状腺	C73	203	0	0	0	2	5	7	4	6	14	17	17	13	17	36	27	24	7	5	2	0	0	0	
	悪性リンパ腫	C81-C85 C96	436	0	0	1	1	2	1	5	0	8	12	10	20	45	62	65	66	57	40	31	10	0	0	
	多発性骨髄腫	C88-C90	95	0	0	0	0	0	0	0	0	0	1	1	2	4	9	22	20	22	9	4	1	0	0	
	白血病	C91-C95	148	4	4	1	1	3	1	6	3	3	3	3	7	11	18	19	23	12	13	11	2	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

34 表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山口県

2018年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	7,429	4	3	1	4	10	15	27	30	48	97	144	296	638	1,248	1,353	1,323	1,109	754	260	58	7	0		
	食道	C15 D001	283	0	0	0	0	0	0	0	1	0	0	3	6	16	33	55	59	52	38	15	5	0	0	0	
	大腸（結腸・直腸）	C18-C20 D010-D012	1,304	0	0	0	1	1	2	3	4	12	25	39	74	127	240	254	213	152	115	39	3	0	0	0	
	結腸	C18 D010	876	0	0	0	1	0	0	3	3	5	17	26	46	74	156	165	139	106	97	35	3	0	0	0	
	直腸	C19-C20 D011-D012	428	0	0	0	0	1	2	0	1	7	8	13	28	53	84	89	74	46	18	4	0	0	0	0	
	肺	C33-C34 D021-D022	1,065	0	0	0	0	0	1	1	1	2	6	20	30	74	189	190	192	177	125	44	12	1	0	0	
	皮膚	C43-C44 D030-D049	166	0	0	0	0	0	1	1	1	0	1	3	3	12	23	24	29	27	25	13	2	1	0	0	
	乳房	C50 D05	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	1	0	0	0	0	0	
	膀胱	C67 D090	410	1	0	0	0	0	0	0	0	1	1	2	3	12	28	71	65	82	75	49	15	3	2	0	
	女	全部位	C00-C96 D00-D09	5,839	5	1	4	6	8	30	79	111	210	245	274	274	409	694	720	803	810	669	347	128	12	0	
食道		C15 D001	59	0	0	0	0	0	0	0	0	1	1	0	1	3	3	10	9	9	14	5	2	1	0	0	
大腸（結腸・直腸）		C18-C20 D010-D012	1,117	0	0	0	1	0	1	1	8	9	21	39	34	77	124	163	173	195	156	85	28	2	0	0	
結腸		C18 D010	791	0	0	0	1	0	0	0	3	5	14	21	20	50	81	122	126	139	118	69	20	2	0	0	
直腸		C19-C20 D011-D012	326	0	0	0	0	0	1	1	5	4	7	18	14	27	43	41	47	56	38	16	8	0	0	0	
肺		C33-C34 D021-D022	560	0	0	0	0	0	0	0	1	0	5	4	13	13	27	68	95	99	103	79	38	14	1	0	0
皮膚		C43-C44 D030-D049	177	0	0	0	0	0	0	0	0	1	2	4	1	2	9	15	12	21	37	34	30	8	1	0	
乳房		C50 D05	1,111	0	0	0	0	0	3	10	30	80	98	100	93	108	156	135	112	90	58	28	10	0	0	0	
子宮		C53-C55 D06	544	0	0	0	0	3	21	51	54	72	61	43	47	43	52	24	30	18	17	6	2	0	0	0	
子宮頸部		C53 D06	341	0	0	0	0	3	20	48	51	62	37	25	28	18	16	14	8	6	2	1	2	0	0	0	
膀胱	C67 D090	110	0	0	0	0	0	0	2	1	0	1	0	1	8	15	18	16	17	19	7	4	1	0	0		
総数	3全部位	C00-C96 D00-D09	13,268	9	4	5	10	18	45	106	141	258	342	418	570	1,047	1,942	2,073	2,126	1,919	1,423	607	186	19	0		
	食道	C15 D001	342	0	0	0	0	0	0	0	1	1	1	3	7	19	36	65	68	61	52	20	7	1	0	0	
	大腸（結腸・直腸）	C18-C20 D010-D012	2,421	0	0	0	2	1	3	4	12	21	46	78	108	204	364	417	386	347	271	124	31	2	0	0	
	結腸	C18 D010	1,667	0	0	0	2	0	0	3	6	10	31	47	66	124	237	287	265	245	215	104	23	2	0	0	
	直腸	C19-C20 D011-D012	754	0	0	0	0	1	3	1	6	11	15	31	42	80	127	130	121	102	56	20	8	0	0	0	
	肺	C33-C34 D021-D022	1,625	0	0	0	0	0	1	2	1	7	10	33	43	101	257	285	291	280	204	82	26	2	0	0	
	皮膚	C43-C44 D030-D049	343	0	0	0	0	0	1	1	2	2	5	4	5	21	38	36	50	64	59	43	10	2	0	0	
	乳房	C50 D05	1,119	0	0	0	0	0	3	10	30	80	98	100	93	109	157	138	114	91	58	28	10	0	0	0	
	子宮	C53-C55 D06	544	0	0	0	0	3	21	51	54	72	61	43	47	43	52	24	30	18	17	6	2	0	0	0	
	子宮頸部	C53 D06	341	0	0	0	0	3	20	48	51	62	37	25	28	18	16	14	8	6	2	1	2	0	0	0	
膀胱	C67 D090	520	1	0	0	0	0	0	2	2	1	3	3	13	36	86	83	98	92	68	22	7	3	0	0		

1 総数は年齢不詳を含む

2 粘膜がんを含む

3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2018年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,050.3		16.0	10.7	3.4	12.5	33.3	48.3	78.8	72.2	104.4	178.7	317.9	692.3	1,337.2	1,980.7	2,587.5	3,228.9	3,625.0	4,275.0	-
	口腔・咽頭	C00-C14	28.5		0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.8	6.7	14.9	10.3	33.3	60.5	59.6	56.3	71.1	89.3	70.8	-
	食道	C15	40.3		0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	6.4	15.4	35.9	69.8	87.7	114.6	126.3	128.6	79.2	-
	胃	C16	166.3		0.0	0.0	0.0	0.0	0.0	0.0	6.1	11.1	8.9	36.2	33.3	107.7	234.9	329.8	400.0	484.2	621.4	666.7	-
	大腸（結腸・直腸）	C18-C20	154.3		0.0	0.0	0.0	3.1	3.3	6.9	9.1	5.6	26.7	31.9	64.1	151.3	202.3	303.5	406.3	465.8	396.4	583.3	-
	結腸	C18	101.4		0.0	0.0	0.0	3.1	0.0	0.0	9.1	2.8	11.1	19.1	43.6	92.3	109.3	184.2	252.1	302.6	278.6	504.2	-
	直腸	C19-C20	52.9		0.0	0.0	0.0	0.0	3.3	6.9	0.0	2.8	15.6	12.8	20.5	59.0	93.0	119.3	154.2	163.2	117.9	79.2	-
	肝および肝内胆管	C22	52.5		0.0	0.0	0.0	0.0	0.0	3.4	3.0	2.8	6.7	2.1	20.5	25.6	48.8	82.5	112.5	160.5	235.7	279.2	-
	胆のう・胆管	C23-C24	23.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.2	4.3	0.0	7.7	20.9	26.3	35.4	76.3	135.7	145.8	-
	膵臓	C25	37.2		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	6.4	15.4	30.8	58.1	93.0	60.4	123.7	85.7	175.0	-
	喉頭	C32	12.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	15.4	30.2	19.3	33.3	44.7	32.1	33.3	-
	肺	C33-C34	161.1		0.0	0.0	0.0	0.0	0.0	3.4	3.0	2.8	4.4	12.8	51.3	76.9	162.8	321.1	393.8	497.4	621.4	754.2	-
	皮膚	C43-C44	21.4		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	5.1	27.9	38.6	39.6	57.9	82.1	150.0	-
	乳房	C50	1.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.8	4.2	5.3	3.6	0.0	-
	前立腺	C61	174.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2	66.7	181.4	308.8	533.3	639.5	671.4	650.0	-
	膀胱	C67	35.2		4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	15.4	39.5	70.2	79.2	113.2	139.3	183.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	37.7		0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.6	0.0	25.5	23.1	33.3	46.5	71.9	110.4	94.7	117.9	104.2	-
	脳・中枢神経系	C70-C72	6.6		4.0	0.0	0.0	3.1	0.0	0.0	6.1	2.8	11.1	0.0	5.1	5.1	9.3	10.5	6.3	10.5	21.4	25.0	-
	甲状腺	C73	8.3		0.0	0.0	0.0	3.1	3.3	10.3	3.0	2.8	8.9	14.9	12.8	7.7	11.6	17.5	10.4	10.5	7.1	8.3	-
	悪性リンパ腫	C81-C85 C96	32.3		0.0	0.0	0.0	0.0	6.7	3.4	3.0	0.0	6.7	6.4	12.8	30.8	62.8	57.9	66.7	76.3	100.0	141.7	-
	多発性骨髄腫	C88-C90	8.3		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	4.7	7.0	27.1	36.8	39.3	37.5	-
	白血病	C91-C95	12.9		8.0	10.7	0.0	3.1	10.0	3.4	12.1	5.6	4.4	2.1	2.6	12.8	16.3	19.3	22.9	34.2	21.4	45.8	-

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

36 表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2018年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	722.1		20.8	3.7	14.3	19.4	22.2	42.3	112.5	180.6	331.8	421.3	570.7	597.6	802.2	1,029.0	1,157.1	1,468.0	1,723.3	1,884.7	-
	口腔・咽頭	C00-C14	11.8		0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	9.1	8.5	26.8	7.3	6.5	19.4	14.3	24.0	16.3	32.2	-
	食道	C15	7.4		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	0.0	2.4	4.9	6.5	12.9	16.1	14.0	30.2	13.6	-
	胃	C16	69.0		4.2	0.0	0.0	0.0	0.0	0.0	0.0	2.8	11.4	14.9	12.2	29.3	73.9	82.3	110.7	186.0	195.3	240.7	-
	大腸（結腸・直腸）	C18-C20	129.2		0.0	0.0	0.0	3.2	0.0	3.8	3.1	19.4	9.1	31.9	70.7	73.2	132.6	156.5	230.4	284.0	379.1	423.7	-
	結腸	C18	91.4		0.0	0.0	0.0	3.2	0.0	0.0	0.0	8.3	4.5	19.1	39.0	41.5	80.4	101.6	176.8	208.0	260.5	330.5	-
	直腸	C19-C20	37.8		0.0	0.0	0.0	0.0	0.0	3.8	3.1	11.1	4.5	12.8	31.7	31.7	52.2	54.8	53.6	76.0	118.6	93.2	-
	肝および肝内胆管	C22	26.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.5	0.0	7.3	14.6	8.7	29.0	39.3	80.0	86.0	100.0	-
	胆のう・胆管	C23-C24	18.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	6.5	14.5	19.6	48.0	67.4	94.9	-
	膵臓	C25	35.7		0.0	0.0	0.0	3.2	0.0	0.0	0.0	2.8	4.5	6.4	14.6	22.0	28.3	40.3	48.2	72.0	132.6	130.5	-
	喉頭	C32	0.6		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	2.3	1.7	-
	肺	C33-C34	74.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	8.5	26.8	29.3	58.7	106.5	153.6	188.0	223.3	223.7	-
	皮膚	C43-C44	20.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	6.4	2.4	4.9	17.4	22.6	19.6	32.0	67.4	106.8	-
	乳房	C50	141.5		0.0	0.0	0.0	0.0	0.0	11.5	28.1	66.7	163.6	174.5	214.6	207.3	223.9	238.7	228.6	202.0	200.0	152.5	-
	子宮	C53-C55	44.3		0.0	0.0	0.0	0.0	3.7	7.7	37.5	41.7	56.8	78.7	70.7	80.5	67.4	74.2	33.9	56.0	37.2	42.4	-
	子宮頸部	C53	16.1		0.0	0.0	0.0	0.0	3.7	3.8	28.1	33.3	34.1	27.7	26.8	34.1	13.0	16.1	16.1	12.0	9.3	8.5	-
	子宮体部	C54	27.4		0.0	0.0	0.0	0.0	0.0	3.8	9.4	8.3	22.7	51.1	43.9	46.3	54.3	56.5	17.9	42.0	27.9	27.1	-
	卵巣	C56	17.8		0.0	0.0	0.0	3.2	3.7	3.8	9.4	11.1	13.6	23.4	34.1	24.4	37.0	19.4	17.9	28.0	25.6	22.0	-
	膀胱	C67	10.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.1	0.0	2.4	10.9	14.5	17.9	20.0	25.6	40.7	-
	腎・尿路（膀胱除く）	C64-C66 C68	15.6		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	14.6	12.2	4.3	27.4	32.1	36.0	48.8	37.3	-
	脳・中枢神経系	C70-C72	4.7		4.2	0.0	3.6	3.2	0.0	0.0	0.0	0.0	4.5	4.3	4.9	7.3	6.5	8.1	5.4	6.0	2.3	11.9	-
	甲状腺	C73	20.7		0.0	0.0	0.0	3.2	14.8	15.4	9.4	13.9	22.7	21.3	29.3	24.4	26.1	41.9	39.3	40.0	11.6	8.5	-
	悪性リンパ腫	C81-C85 C96	31.4		0.0	0.0	3.6	3.2	0.0	0.0	12.5	0.0	11.4	19.1	12.2	19.5	39.1	46.8	58.9	74.0	67.4	79.7	-
	多発性骨髄腫	C88-C90	5.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.9	4.3	8.1	16.1	12.0	25.6	8.5	-
	白血病	C91-C95	8.9		8.3	3.7	3.6	0.0	0.0	0.0	6.3	2.8	2.3	4.3	4.9	4.9	8.7	11.3	14.3	20.0	14.0	25.4	-

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計



表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2018年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数	2 全部位	C00-C96	877.8	18.4	7.3	8.8	15.9	28.1	45.5	95.4	126.4	216.9	300.0	447.5	643.8	1,060.7	1,484.9	1,817.3	2,228.4	2,473.2	2,575.9	-	
	口腔・咽頭	C00-C14	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	7.9	11.7	18.8	20.0	32.6	38.7	33.7	44.3	45.1	43.4	-
	食道	C15	23.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	1.1	3.2	8.8	20.0	37.1	48.7	61.5	62.5	69.0	32.5	-
	胃	C16	115.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	6.9	10.1	25.5	22.5	67.5	151.7	200.8	244.2	314.8	363.4	363.9	-
	大腸（結腸・直腸）	C18-C20	141.1	0.0	0.0	0.0	3.2	1.8	5.5	6.2	12.5	18.0	31.9	67.5	111.3	166.3	226.9	311.5	362.5	385.9	469.9	-	
	結腸	C18	96.1	0.0	0.0	0.0	3.2	0.0	0.0	4.6	5.6	7.9	19.1	41.3	66.3	94.4	141.2	211.5	248.9	267.6	380.7	-	
	直腸	C19-C20	45.0	0.0	0.0	0.0	0.0	1.8	5.5	1.5	6.9	10.1	12.8	26.3	45.0	71.9	85.7	100.0	113.6	118.3	89.2	-	
	肝および肝内胆管	C22	38.9	0.0	0.0	0.0	0.0	0.0	1.8	1.5	2.8	5.6	1.1	13.8	20.0	28.1	54.6	73.1	114.8	145.1	151.8	-	
	胆のう・胆管	C23-C24	20.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.1	2.1	1.3	3.8	13.5	20.2	26.9	60.2	94.4	109.6	-	
	膵臓	C25	36.4	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.4	3.4	6.4	15.0	26.3	42.7	65.5	53.8	94.3	114.1	143.4	-	
	喉頭	C32	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	7.5	14.6	10.9	15.4	19.3	14.1	10.8	-	
	肺	C33-C34	115.3	0.0	0.0	0.0	0.0	0.0	1.8	1.5	1.4	7.9	10.6	38.8	52.5	109.0	209.2	264.4	321.6	380.3	377.1	-	
	皮膚	C43-C44	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.1	3.2	5.0	5.0	22.5	30.3	28.8	43.2	73.2	119.3	-	
	乳房	C50	74.9	0.0	0.0	0.0	0.0	0.0	5.5	13.8	33.3	80.9	87.2	110.0	106.3	116.9	125.2	125.0	117.0	122.5	108.4	-	
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	膀胱	C67	22.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.1	0.0	8.8	24.7	41.2	46.2	60.2	70.4	81.9	-	
	腎・尿路（膀胱除く）	C64-C66 C68	26.1	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.8	0.0	16.0	18.8	22.5	24.7	48.7	68.3	61.4	76.1	56.6	-	
	脳・中枢神経系	C70-C72	5.6	4.1	0.0	1.8	3.2	0.0	0.0	3.1	1.4	7.9	2.1	5.0	6.3	7.9	9.2	5.8	8.0	9.9	15.7	-	
	甲状腺	C73	14.8	0.0	0.0	0.0	3.2	8.8	12.7	6.2	8.3	15.7	18.1	21.3	16.3	19.1	30.3	26.0	27.3	9.9	8.4	-	
	悪性リンパ腫	C81-C85 C96	31.8	0.0	0.0	1.8	1.6	3.5	1.8	7.7	0.0	9.0	12.8	12.5	25.0	50.6	52.1	62.5	75.0	80.3	97.6	-	
	多発性骨髄腫	C88-C90	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.3	2.5	4.5	7.6	21.2	22.7	31.0	16.9	-	
	白血病	C91-C95	10.8	8.2	7.3	1.8	1.6	5.3	1.8	9.2	4.2	3.4	3.2	3.8	8.8	12.4	15.1	18.3	26.1	16.9	31.3	-	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山口県

2018年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	1,142.9	16.0	10.7	3.4	12.5	33.3	51.7	81.8	83.3	106.7	206.4	369.2	759.0	1,483.7	2,189.5	2,818.8	3,481.6	3,960.7	4,495.8	-	
	食道	C15 D001	43.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	6.4	15.4	41.0	76.7	96.5	122.9	136.8	135.7	83.3	-
	大腸（結腸・直腸）	2 C18-C20 D010-D012	200.6	0.0	0.0	0.0	3.1	3.3	6.9	9.1	11.1	26.7	53.2	100.0	189.7	295.3	421.1	529.2	560.5	542.9	654.2	-	
	結腸	2 C18 D010	134.8	0.0	0.0	0.0	3.1	0.0	0.0	9.1	8.3	11.1	36.2	66.7	117.9	172.1	273.7	343.8	365.8	378.6	562.5	-	
	直腸	2 C19-C20 D011-D012	65.8	0.0	0.0	0.0	0.0	3.3	6.9	0.0	2.8	15.6	17.0	33.3	71.8	123.3	147.4	185.4	194.7	164.3	91.7	-	
	肺	C33-C34 D021-D022	163.8	0.0	0.0	0.0	0.0	0.0	3.4	3.0	2.8	4.4	12.8	51.3	76.9	172.1	331.6	395.8	505.3	632.1	758.3	-	
	皮膚	C43-C44 D030-D049	25.5	0.0	0.0	0.0	0.0	0.0	3.4	3.0	2.8	0.0	2.1	7.7	7.7	27.9	40.4	50.0	76.3	96.4	170.8	-	
	乳房	C50 D05	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.8	6.3	5.3	3.6	0.0	-
	膀胱	C67 D090	63.1	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.2	4.3	7.7	30.8	65.1	124.6	135.4	215.8	267.9	287.5	-
女	全部位	C00-C96 D00-D09	811.0	20.8	3.7	14.3	19.4	29.6	115.4	246.9	308.3	477.3	521.3	668.3	668.3	889.1	1,119.4	1,285.7	1,606.0	1,883.7	1,959.3	-	
	食道	C15 D001	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	0.0	2.4	7.3	6.5	16.1	16.1	18.0	32.6	13.6	-	
	大腸（結腸・直腸）	2 C18-C20 D010-D012	155.1	0.0	0.0	0.0	3.2	0.0	3.8	3.1	22.2	20.5	44.7	95.1	82.9	167.4	200.0	291.1	346.0	453.5	459.3	-	
	結腸	2 C18 D010	109.9	0.0	0.0	0.0	3.2	0.0	0.0	0.0	8.3	11.4	29.8	51.2	48.8	108.7	130.6	217.9	252.0	323.3	354.2	-	
	直腸	2 C19-C20 D011-D012	45.3	0.0	0.0	0.0	0.0	0.0	3.8	3.1	13.9	9.1	14.9	43.9	34.1	58.7	69.4	73.2	94.0	130.2	105.1	-	
	肺	C33-C34 D021-D022	77.8	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	11.4	8.5	31.7	31.7	58.7	109.7	169.6	198.0	239.5	223.7	-	
	皮膚	C43-C44 D030-D049	24.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.5	8.5	2.4	4.9	19.6	24.2	21.4	42.0	86.0	123.7	-	
	乳房	C50 D05	154.3	0.0	0.0	0.0	0.0	0.0	11.5	31.3	83.3	181.8	208.5	243.9	226.8	234.8	251.6	241.1	224.0	209.3	162.7	-	
	子宮	C53-C55 D06	75.6	0.0	0.0	0.0	0.0	11.1	80.8	159.4	150.0	163.6	129.8	104.9	114.6	93.5	83.9	42.9	60.0	41.9	42.4	-	
子宮頸部	C53 D06	47.4	0.0	0.0	0.0	0.0	11.1	76.9	150.0	141.7	140.9	78.7	61.0	68.3	39.1	25.8	25.0	16.0	14.0	8.5	-		
膀胱	C67 D090	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.8	0.0	2.1	0.0	2.4	17.4	24.2	32.1	32.0	39.5	52.5	-	
総数	3 全部位	C00-C96 D00-D09	968.5	18.4	7.3	8.8	15.9	31.6	81.8	163.1	195.8	289.9	363.8	522.5	712.5	1,176.4	1,631.9	1,993.3	2,415.9	2,702.8	2,692.8	-	
	食道	C15 D001	25.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	1.1	3.2	8.8	23.8	40.4	54.6	65.4	69.3	73.2	33.7	-	
	大腸（結腸・直腸）	2 C18-C20 D010-D012	176.7	0.0	0.0	0.0	3.2	1.8	5.5	6.2	16.7	23.6	48.9	97.5	135.0	229.2	305.9	401.0	438.6	488.7	515.7	-	
	結腸	2 C18 D010	121.7	0.0	0.0	0.0	3.2	0.0	0.0	4.6	8.3	11.2	33.0	58.8	82.5	139.3	199.2	276.0	301.1	345.1	414.5	-	
	直腸	2 C19-C20 D011-D012	55.0	0.0	0.0	0.0	0.0	1.8	5.5	1.5	8.3	12.4	16.0	38.8	52.5	89.9	106.7	125.0	137.5	143.7	101.2	-	
	肺	C33-C34 D021-D022	118.6	0.0	0.0	0.0	0.0	0.0	1.8	3.1	1.4	7.9	10.6	41.3	53.8	113.5	216.0	274.0	330.7	394.4	378.3	-	
	皮膚	C43-C44 D030-D049	25.0	0.0	0.0	0.0	0.0	0.0	1.8	1.5	2.8	2.2	5.3	5.0	6.3	23.6	31.9	34.6	56.8	90.1	137.3	-	
	乳房	C50 D05	81.7	0.0	0.0	0.0	0.0	0.0	5.5	15.4	41.7	89.9	104.3	125.0	116.3	122.5	131.9	132.7	129.5	128.2	115.7	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	38.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	1.1	3.2	3.8	16.3	40.4	72.3	79.8	111.4	129.6	120.5	-	

1 総数は年齢不詳を含む

2 粘膜がんを含む

3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	集計対象数	1 がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	11,837	11.5	32.0	0.0	52.8	3.7
口腔・咽頭	C00-C14	268	0.0	24.3	0.0	72.4	3.4
食道	C15	309	12.9	30.7	0.0	54.7	1.6
胃	C16	1,556	17.7	31.6	0.0	48.2	2.5
大腸（結腸・直腸）	C18-C20	1,910	12.7	24.2	0.1	60.3	2.8
結腸	C18	1,296	13.2	26.9	0.1	56.8	3.1
直腸	C19-C20	614	11.6	18.6	0.0	67.6	2.3
肝および肝内胆管	C22	514	3.3	61.1	0.0	30.4	5.3
胆のう・胆管	C23-C24	279	3.2	35.8	0.0	59.9	1.1
膵臓	C25	484	3.9	34.5	0.0	59.5	2.1
喉頭	C32	85	1.2	15.3	0.0	81.2	2.4
肺	C33-C34	1,539	11.0	44.8	0.0	41.4	2.8
皮膚	C43-C44	287	0.0	10.1	0.0	87.5	2.4
乳房	C50	1,017	20.8	13.9	0.0	59.4	5.9
乳房（女性のみ）	C50	1,010	20.8	13.9	0.0	59.4	5.9
子宮	C53-C55	315	10.8	21.3	0.0	64.8	3.2
子宮頸部	C53	115	23.5	17.4	0.0	54.8	4.3
子宮体部	C54	197	3.6	23.9	0.0	70.6	2.0
卵巣	C56	127	3.1	26.0	0.0	69.3	1.6
前立腺	C61	1,126	19.5	43.8	0.1	27.4	9.1
膀胱	C67	294	2.7	24.8	0.0	69.7	2.7
腎・尿路（膀胱除く）	C64-C66 C68	356	6.5	47.2	0.0	43.8	2.5
脳・中枢神経系	C70-C72	77	1.3	15.6	0.0	75.3	7.8
甲状腺	C73	203	10.8	36.0	0.0	48.3	4.9
悪性リンパ腫	C81-C85 C96	431	6.3	26.2	0.2	64.7	2.6
多発性骨髄腫	C88-C90	94	5.3	40.4	0.0	51.1	3.2
白血病	C91-C95	145	5.5	42.8	0.0	49.7	2.1

1 DCOを除く総数

40 表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	集計対象数	1 がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	13,079	12.8	32.2	0.0	51.5	3.4
食道	C15 D001	336	15.8	31.3	0.0	51.2	1.8
大腸 (結腸・直腸) 2	C18-C20 D010-D012	2,398	16.2	26.4	0.0	55.1	2.3
結腸 2	C18 D010	1,646	17.3	28.6	0.1	51.6	2.4
直腸 2	C19-C20 D011-D012	752	14.0	21.4	0.0	62.6	2.0
肺	C33-C34 D021-D022	1,584	11.2	45.4	0.0	40.7	2.7
皮膚	C43-C44 D030-D049	342	0.0	9.4	0.0	88.3	2.3
乳房	C50 D05	1,110	22.3	14.0	0.0	58.2	5.6
乳房 (女性のみ)	C50 D05	1,102	22.2	13.9	0.0	58.3	5.6
子宮	C53-C55 D06	540	24.6	28.3	0.0	45.0	2.0
子宮頸部	C53 D06	340	37.1	31.2	0.0	30.0	1.8
膀胱	C67 D090	513	2.7	27.7	0.0	67.4	2.1

1 DCOを除く総数

2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

## A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	集計対象数	1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域	2
全部位	C00-C96	11,598		48.0	9.6	13.0	19.7	9.7		22.6
口腔・咽頭	C00-C14	268		40.3	15.7	31.3	5.2	7.5		47.0
食道	C15	309		46.6	10.0	25.2	12.6	5.5		35.3
胃	C16	1,556		56.9	9.7	7.1	19.9	6.4		16.8
大腸（結腸・直腸）	C18-C20	1,910		44.4	18.3	11.0	18.8	7.4		29.3
結腸	C18	1,296		44.8	17.1	11.7	18.6	7.9		28.7
直腸	C19-C20	614		43.5	21.0	9.6	19.4	6.4		30.6
肝および肝内胆管	C22	514		60.1	4.3	10.3	9.5	15.8		14.6
胆のう・胆管	C23-C24	279		18.3	4.3	37.3	26.9	13.3		41.6
膵臓	C25	484		15.9	6.8	22.1	48.3	6.8		28.9
喉頭	C32	85		63.5	15.3	15.3	2.4	3.5		30.6
肺	C33-C34	1,539		36.3	9.0	9.9	35.5	9.3		18.9
皮膚	C43-C44	287		85.4	1.4	7.3	0.3	5.6		8.7
乳房	C50	1,017		57.0	21.3	3.8	7.7	10.1		25.2
乳房（女性のみ）	C50	1,010		57.1	21.3	3.9	7.5	10.2		25.1
子宮	C53-C55	315		57.5	2.9	18.4	15.9	5.4		21.3
子宮頸部	C53	115		45.2	2.6	34.8	13.0	4.3		37.4
子宮体部	C54	197		65.5	3.0	9.1	16.8	5.6		12.2
卵巣	C56	127		28.3	0.0	44.1	18.9	8.7		44.1
前立腺	C61	1,126		65.0	1.2	9.9	13.5	10.4		11.1
膀胱	C67	294		67.7	2.0	14.3	3.4	11.9		16.3
腎・尿路（膀胱除く）	C64-C66 C68	356		57.6	1.1	17.7	16.3	7.3		18.8
脳・中枢神経系	C70-C72	77		55.8	0.0	13.0	3.9	27.3		13.0
甲状腺	C73	203		48.3	21.2	14.8	3.9	11.8		36.0
悪性リンパ腫	C81-C85 C96	425		23.3	0.5	14.1	47.8	14.4		14.6
多発性骨髄腫	C88-C90	-		-	-	-	-	-		-
白血病	C91-C95	-		-	-	-	-	-		-

1 DC0、777：該当せずを除く総数

2 リンパ節転移＋隣接臓器浸潤

42 表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	12,840	9.3	43.6	8.7	11.7	17.8	8.9	20.4
食道	C15 D001	336	7.7	42.9	9.2	23.2	11.6	5.4	32.4
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,398	20.3	35.4	14.6	8.8	15.0	6.0	23.4
結腸 3	C18 D010	1,646	21.3	35.3	13.4	9.2	14.6	6.2	22.6
直腸 3	C19-C20 D011-D012	752	18.2	35.5	17.2	7.8	15.8	5.5	25.0
肺	C33-C34 D021-D022	1,584	2.8	35.2	8.7	9.7	34.5	9.0	18.4
皮膚	C43-C44 D030-D049	342	15.5	71.6	1.2	6.1	0.3	5.3	7.3
乳房	C50 D05	1,110	8.1	52.3	19.5	3.5	7.0	9.5	23.1
乳房 (女性のみ)	C50 D05	1,102	8.1	52.4	19.5	3.5	6.9	9.6	23.0
子宮	C53-C55 D06	540	41.7	33.5	1.7	10.7	9.3	3.1	12.4
子宮頸部	C53 D06	340	66.2	15.3	0.9	11.8	4.4	1.5	12.6
膀胱	C67 D090	513	42.1	38.8	1.2	8.2	1.9	7.8	9.4

1 DCO、777 : 該当せずを除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

## A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96	11,598	0.8	47.2	8.0	11.7	18.9	13.3	19.7
口腔・咽頭	C00-C14	268	0.7	36.6	14.6	31.0	5.6	11.6	45.5
食道	C15	309	4.2	42.1	11.0	24.3	12.6	5.8	35.3
胃	C16	1,556	0.4	57.7	8.6	5.7	17.5	10.1	14.3
大腸（結腸・直腸）	C18-C20	1,910	0.9	40.6	15.1	12.1	17.5	13.8	27.2
結腸	C18	1,296	0.8	39.8	14.5	12.9	17.0	15.0	27.4
直腸	C19-C20	614	1.3	42.3	16.3	10.4	18.6	11.1	26.7
肝および肝内胆管	C22	514	0.2	60.1	4.3	9.5	9.5	16.3	13.8
胆のう・胆管	C23-C24	279	0.4	18.6	3.2	31.2	25.4	21.1	34.4
膵臓	C25	484	0.0	18.4	4.8	20.7	47.5	8.7	25.4
喉頭	C32	85	0.0	61.2	16.5	14.1	2.4	5.9	30.6
肺	C33-C34	1,539	0.5	36.4	7.7	9.9	35.2	10.4	17.5
皮膚	C43-C44	287	1.0	82.2	1.4	5.9	0.3	9.1	7.3
乳房	C50	1,017	2.6	59.6	15.9	3.5	7.8	10.6	19.5
乳房（女性のみ）	C50	1,010	2.6	59.6	15.9	3.6	7.6	10.7	19.5
子宮	C53-C55	315	4.8	48.3	1.9	17.1	14.0	14.0	19.0
子宮頸部	C53	115	13.0	35.7	2.6	31.3	11.3	6.1	33.9
子宮体部	C54	197	0.0	56.3	1.5	9.1	14.7	18.3	10.7
卵巣	C56	127	0.0	12.6	1.6	18.9	18.1	48.8	20.5
前立腺	C61	1,126	0.0	66.2	1.2	7.5	13.4	11.8	8.6
膀胱	C67	294	1.4	68.4	1.0	13.3	3.4	12.6	14.3
腎・尿路（膀胱除く）	C64-C66 C68	356	0.3	58.4	2.0	13.5	15.2	10.7	15.4
脳・中枢神経系	C70-C72	77	0.0	54.5	0.0	13.0	3.9	28.6	13.0
甲状腺	C73	203	0.0	50.7	15.8	6.9	3.4	23.2	22.7
悪性リンパ腫	C81-C85 C96	425	0.0	22.8	0.5	13.9	47.3	15.5	14.4
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

1 DC0、777：該当せずを除く総数

2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	12,840	5.7	45.0	7.3	10.6	17.1	14.3	17.9
食道	C15 D001	336	7.1	43.2	10.1	22.3	11.6	5.7	32.4
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,398	7.9	36.0	12.1	9.6	13.9	20.5	21.7
結腸 3	C18 D010	1,646	8.6	35.1	11.5	10.1	13.4	21.4	21.6
直腸 3	C19-C20 D011-D012	752	6.4	38.2	13.3	8.5	15.2	18.5	21.8
肺	C33-C34 D021-D022	1,584	1.5	36.9	7.4	9.7	34.2	10.4	17.1
皮膚	C43-C44 D030-D049	342	16.1	69.3	1.2	5.0	0.3	8.2	6.1
乳房	C50 D05	1,110	8.4	56.0	14.6	3.2	7.1	10.6	17.8
乳房 (女性のみ)	C50 D05	1,102	8.3	56.1	14.6	3.3	7.0	10.7	17.9
子宮	C53-C55 D06	540	40.6	28.5	1.1	10.0	8.1	11.7	11.1
子宮頸部	C53 D06	340	64.4	12.6	0.9	10.6	3.8	7.6	11.5
膀胱	C67 D090	513	18.7	60.6	1.0	7.8	2.1	9.7	8.8

1 DCO、777 : 該当せずを除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む



表5-3. 進展度・術後 (%) : 部位別

## A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	集計対象数	1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域	2
全部位	C00-C96	7,091		55.8	11.1	9.9	4.7	18.6		21.0
口腔・咽頭	C00-C14	160		51.9	12.5	20.0	0.0	15.6		32.5
食道	C15	111		71.2	4.5	6.3	1.8	16.2		10.8
胃	C16	1,178		67.8	9.9	6.5	5.6	10.2		16.4
大腸（結腸・直腸）	C18-C20	1,588		48.6	20.3	10.9	10.6	9.6		31.2
結腸	C18	1,108		48.4	19.1	12.4	10.7	9.4		31.5
直腸	C19-C20	480		49.0	22.9	7.5	10.4	10.2		30.4
肝および肝内胆管	C22	216		51.4	0.5	2.8	0.5	44.9		3.2
胆のう・胆管	C23-C24	134		21.6	5.2	44.0	5.2	23.9		49.3
膵臓	C25	137		25.5	12.4	15.3	5.1	41.6		27.7
喉頭	C32	30		40.0	6.7	23.3	0.0	30.0		30.0
肺	C33-C34	751		57.5	8.7	5.9	2.0	26.0		14.5
皮膚	C43-C44	269		83.6	1.1	6.3	0.0	8.9		7.4
乳房	C50	811		63.0	19.9	2.6	0.9	13.7		22.4
乳房（女性のみ）	C50	806		63.0	19.7	2.6	0.9	13.8		22.3
子宮	C53-C55	234		71.4	3.4	7.7	6.8	10.7		11.1
子宮頸部	C53	63		68.3	3.2	9.5	4.8	14.3		12.7
子宮体部	C54	169		73.4	3.6	7.1	7.7	8.3		10.7
卵巣	C56	93		37.6	0.0	47.3	4.3	10.8		47.3
前立腺	C61	339		48.1	0.6	8.8	0.3	42.2		9.4
膀胱	C67	221		55.2	1.4	6.8	0.9	35.7		8.1
腎・尿路（膀胱除く）	C64-C66 C68	264		65.9	0.4	14.8	4.2	14.8		15.2
脳・中枢神経系	C70-C72	55		52.7	0.0	12.7	3.6	30.9		12.7
甲状腺	C73	183		43.7	23.0	15.3	0.5	17.5		38.3
悪性リンパ腫	C81-C85 C96	73		15.1	0.0	5.5	11.0	68.5		5.5
多発性骨髄腫	C88-C90	-		-	-	-	-	-		-
白血病	C91-C95	-		-	-	-	-	-		-

1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

2 リンパ節転移＋隣接臓器浸潤

46 表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	8,298	13.8	48.0	9.5	8.5	4.0	16.3	17.9
食道	C15 D001	137	18.2	57.7	3.6	5.1	1.5	13.9	8.8
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,075	23.3	37.2	15.5	8.3	8.1	7.5	23.9
結腸 3	C18 D010	1,457	24.0	36.8	14.6	9.4	8.2	7.1	24.0
直腸 3	C19-C20 D011-D012	618	21.8	38.0	17.8	5.8	8.1	8.4	23.6
肺	C33-C34 D021-D022	796	5.7	54.3	8.2	5.5	1.9	24.5	13.7
皮膚	C43-C44 D030-D049	319	14.1	70.5	0.9	5.3	0.0	9.1	6.3
乳房	C50 D05	901	9.2	56.7	17.9	2.3	0.8	13.1	20.2
乳房 (女性のみ)	C50 D05	895	9.2	56.8	17.8	2.3	0.8	13.2	20.1
子宮	C53-C55 D06	449	46.5	37.2	1.8	4.0	3.6	6.9	5.8
子宮頸部	C53 D06	278	75.2	15.5	0.7	2.2	1.1	5.4	2.9
膀胱	C67 D090	432	47.0	28.2	0.7	3.5	0.5	20.1	4.2

1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

## A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	集計対象数 <sup>1</sup>	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	11,837	27.6	18.3	8.6	9.4	31.6	9.8	2.9	22.5
口腔・咽頭	C00-C14	268	48.9	0.0	4.1	32.8	31.7	0.0	0.7	16.8
食道	C15	309	13.6	14.9	18.8	30.4	51.5	0.0	1.3	15.9
胃	C16	1,556	23.4	15.4	33.6	0.4	22.9	0.1	1.1	18.0
大腸（結腸・直腸）	C18-C20	1,910	29.9	42.4	10.5	1.9	34.7	0.2	1.6	15.6
結腸	C18	1,296	31.0	42.0	9.7	0.3	31.9	0.1	1.9	16.5
直腸	C19-C20	614	27.5	43.2	12.2	5.4	40.6	0.3	1.0	13.7
肝および肝内胆管	C22	514	18.9	6.4	0.0	1.6	32.5	0.0	30.5	35.8
胆のう・胆管	C23-C24	279	34.1	6.5	1.1	0.7	27.6	0.0	2.5	40.5
膵臓	C25	484	20.0	1.4	0.0	0.8	50.6	0.2	2.7	40.3
喉頭	C32	85	23.5	2.4	2.4	65.9	36.5	0.0	0.0	16.5
肺	C33-C34	1,539	4.0	33.3	0.0	11.3	35.5	0.0	1.0	32.1
皮膚	C43-C44	287	86.1	0.0	0.0	1.4	3.8	0.0	2.8	11.8
乳房	C50	1,017	76.9	0.2	0.2	25.5	36.1	47.5	0.5	12.2
乳房（女性のみ）	C50	1,010	76.9	0.2	0.2	25.6	36.0	47.3	0.5	12.3
子宮	C53-C55	315	62.5	7.0	0.0	14.3	40.3	0.3	0.6	14.0
子宮頸部	C53	115	51.3	1.7	0.0	36.5	40.0	0.0	0.9	13.0
子宮体部	C54	197	70.1	10.2	0.0	1.5	41.1	0.5	0.0	13.7
卵巣	C56	127	66.1	5.5	0.0	0.0	53.5	0.0	0.8	18.9
前立腺	C61	1,126	3.9	17.9	1.2	13.4	4.1	58.9	1.7	18.2
膀胱	C67	294	8.5	9.5	64.6	11.9	42.2	0.3	13.6	16.3
腎・尿路（膀胱除く）	C64-C66 C68	356	9.6	57.9	0.3	3.1	22.8	0.3	0.8	19.7
脳・中枢神経系	C70-C72	77	53.2	1.3	0.0	46.8	49.4	0.0	0.0	31.2
甲状腺	C73	203	75.9	0.0	0.0	4.9	1.0	2.5	0.0	23.2
悪性リンパ腫	C81-C85 C96	431	4.9	1.4	0.0	8.4	62.4	0.2	1.4	32.7
多発性骨髄腫	C88-C90	94	1.1	1.1	0.0	3.2	66.0	0.0	2.1	30.9
白血病	C91-C95	145	0.7	0.0	0.0	4.8	58.6	0.0	6.9	39.3

1 DCOを除く総数

重複を含むため合計は100%にならない

48 表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	集計対象数 1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	13,079	28.0	17.7	12.8	8.8	29.0	9.1	3.0	20.8
食道	C15 D001	336	12.5	14.0	24.7	28.0	47.3	0.0	1.2	15.2
大腸 (結腸・直腸) 2	C18-C20 D010-D012	2,398	24.5	35.7	26.1	1.6	27.7	0.2	1.3	12.6
結腸 2	C18 D010	1,646	25.0	35.2	26.3	0.3	25.3	0.1	1.6	13.1
直腸 2	C19-C20 D011-D012	752	23.4	36.7	25.7	4.4	33.1	0.3	0.8	11.4
肺	C33-C34 D021-D022	1,584	3.9	35.1	0.0	11.0	34.5	0.0	1.0	31.2
皮膚	C43-C44 D030-D049	342	85.4	0.0	0.0	1.2	3.2	0.0	2.6	12.6
乳房	C50 D05	1,110	78.0	0.2	0.2	26.2	33.2	45.6	0.5	12.0
乳房 (女性のみ)	C50 D05	1,102	78.0	0.2	0.2	26.4	33.1	45.5	0.5	12.1
子宮	C53-C55 D06	540	75.0	4.4	0.0	8.3	23.5	0.2	1.9	10.9
子宮頸部	C53 D06	340	78.5	1.2	0.0	12.4	13.5	0.0	2.6	8.8
膀胱	C67 D090	513	7.0	6.4	75.0	6.8	33.1	0.4	14.6	10.7

1 DCOを除く総数

2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	集計対象数 1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	6,299	88.0	10.4	1.6
口腔・咽頭	C00-C14	142	76.8	19.0	4.2
食道	C15	145	89.0	8.3	2.8
胃	C16	1,090	92.4	7.1	0.6
大腸（結腸・直腸）	C18-C20	1,505	89.4	9.4	1.1
結腸	C18	1,024	89.2	9.7	1.2
直腸	C19-C20	481	90.0	8.9	1.0
肝および肝内胆管	C22	130	93.8	3.1	3.1
胆のう・胆管	C23-C24	111	82.0	12.6	5.4
膵臓	C25	104	81.7	13.5	4.8
喉頭	C32	24	75.0	16.7	8.3
肺	C33-C34	573	93.9	5.8	0.3
皮膚	C43-C44	247	93.1	5.3	1.6
乳房	C50	784	93.1	6.4	0.5
乳房（女性のみ）	C50	779	93.1	6.4	0.5
子宮	C53-C55	219	89.5	8.7	1.8
子宮頸部	C53	61	91.8	4.9	3.3
子宮体部	C54	158	88.6	10.1	1.3
卵巣	C56	89	76.4	18.0	5.6
前立腺	C61	259	79.2	17.4	3.5
膀胱	C67	215	52.1	46.5	1.4
腎・尿路（膀胱除く）	C64-C66 C68	241	92.9	4.6	2.5
脳・中枢神経系	C70-C72	42	47.6	47.6	4.8
甲状腺	C73	154	92.2	7.1	0.6
悪性リンパ腫	C81-C85 C96	27	59.3	33.3	7.4
多発性骨髄腫	C88-C90	2	0.0	50.0	50.0
白血病	C91-C95	1	0.0	0.0	100.0

1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

05 表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	集計対象数 1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	7,482	88.9	9.4	1.7
食道	C15 D001	170	88.8	8.8	2.4
大腸（結腸・直腸） 2	C18-C20 D010-D012	1,990	90.8	7.7	1.5
結腸 2	C18 D010	1,373	90.7	7.8	1.5
直腸 2	C19-C20 D011-D012	617	91.1	7.5	1.5
肺	C33-C34 D021-D022	618	94.3	5.3	0.3
皮膚	C43-C44 D030-D049	292	93.8	4.5	1.7
乳房	C50 D05	868	93.3	6.1	0.6
乳房（女性のみ）	C50 D05	862	93.3	6.1	0.6
子宮	C53-C55 D06	428	91.1	6.5	2.3
子宮頸部	C53 D06	270	92.6	4.4	3.0
膀胱	C67 D090	424	70.3	29.0	0.7

1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

2 粘膜がんを含む

表8. 精度指標： 部位別、性別

## A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1
全部位	C00-C96	0.40	0.42	0.41	2.0	3.5	2.7	1.2	2.0	1.6	87.0	84.4	85.9	83.6	81.4	82.7
口腔・咽頭	C00-C14	0.41	0.40	0.41	0.0	3.5	1.1	0.0	2.4	0.7	95.1	88.2	93.0	90.8	88.2	90.0
食道	C15	0.39	0.43	0.40	2.3	3.8	2.5	1.5	3.8	1.9	93.1	92.5	93.0	92.7	92.5	92.7
胃	C16	0.35	0.48	0.39	1.3	3.2	1.9	0.9	2.4	1.4	95.2	90.5	93.7	94.6	90.1	93.2
大腸（結腸・直腸）	C18-C20	0.32	0.38	0.35	1.1	3.5	2.3	0.7	1.7	1.2	94.3	88.9	91.7	93.9	88.3	91.2
結腸	C18	0.33	0.41	0.37	1.5	4.3	2.9	1.1	2.1	1.6	93.2	86.3	89.7	92.7	85.9	89.3
直腸	C19-C20	0.31	0.32	0.31	0.3	1.8	1.0	0.0	0.7	0.3	96.5	95.2	95.9	96.2	94.1	95.3
肝および肝内胆管	C22	0.64	0.76	0.68	5.3	8.9	6.6	3.2	4.2	3.6	41.9	29.2	37.3	40.8	29.2	36.6
胆のう・胆管	C23-C24	0.72	0.87	0.79	6.0	4.5	5.3	2.0	0.8	1.4	76.0	59.4	68.2	63.3	48.9	56.5
膵臓	C25	0.89	0.84	0.86	3.3	6.6	5.0	0.8	5.1	3.0	64.5	49.8	56.9	55.0	44.7	49.7
喉頭	C32	0.19	0.25	0.19	0.0	0.0	0.0	0.0	0.0	0.0	98.8	100.0	98.8	93.8	75.0	92.9
肺	C33-C34	0.60	0.55	0.58	4.0	4.7	4.2	2.5	2.8	2.6	82.4	77.1	80.6	72.4	70.5	71.8
皮膚	C43-C44	0.09	0.11	0.10	0.7	1.3	1.0	0.0	0.7	0.3	98.6	96.6	97.6	98.6	96.6	97.6
乳房	C50	0.29	0.18	0.18	0.0	1.2	1.2	0.0	0.9	0.9	100.0	95.0	95.0	100.0	94.2	94.2
子宮	C53-C55	-	0.29	0.29	-	1.9	1.9	-	1.3	1.3	-	95.3	95.3	-	93.1	93.1
子宮頸部	C53	-	0.28	0.28	-	1.7	1.7	-	0.9	0.9	-	95.7	95.7	-	93.1	93.1
子宮体部	C54	-	0.20	0.20	-	0.0	0.0	-	0.0	0.0	-	97.5	97.5	-	95.4	95.4
卵巣	C56	-	0.44	0.44	-	2.3	2.3	-	0.8	0.8	-	89.8	89.8	-	85.9	85.9
前立腺	C61	0.14	-	0.14	0.9	-	0.9	0.7	-	0.7	89.7	-	89.7	89.6	-	89.6
膀胱	C67	0.40	0.51	0.43	1.7	5.6	2.7	1.7	4.2	2.3	90.8	81.9	88.7	82.1	77.8	81.1
腎・尿路（膀胱除く）	C64-C66 C68	0.32	0.31	0.32	1.2	0.9	1.1	0.4	0.0	0.3	84.9	83.9	84.6	82.4	75.9	80.4
脳・中枢神経系	C70-C72	0.37	0.59	0.47	0.0	2.9	1.3	0.0	0.0	0.0	74.4	64.7	70.1	74.4	64.7	70.1
甲状腺	C73	0.11	0.11	0.11	0.0	0.0	0.0	0.0	0.0	0.0	98.1	96.6	97.0	87.0	85.9	86.2
悪性リンパ腫	C81-C85 C96	0.39	0.37	0.38	1.4	3.1	2.3	0.0	2.2	1.1	91.0	91.6	91.3	87.6	87.6	87.6
多発性骨髄腫	C88-C90	0.78	0.71	0.75	0.0	2.4	1.1	0.0	2.4	1.1	83.3	90.2	86.3	79.6	85.4	82.1
白血病	C91-C95	0.70	0.73	0.72	3.6	6.3	4.7	3.6	0.0	2.0	97.6	90.6	94.6	88.1	68.8	79.7

1 総数は男女および性別不詳の合計

52 表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1
全部位	C00-C96 D00-D09	0.37	0.37	0.37	1.9	3.1	2.4	1.1	1.8	1.4	88.0	86.1	87.2	85.0	83.4	84.3
食道	C15 D001	0.36	0.39	0.37	2.1	3.4	2.3	1.4	3.4	1.8	93.6	93.2	93.6	93.3	93.2	93.3
大腸 (結腸・直腸) 2	C18-C20 D010-D012	0.25	0.32	0.28	0.8	3.0	1.8	0.5	1.4	1.0	95.6	90.8	93.4	95.3	90.2	93.0
結腸 2	C18 D010	0.25	0.34	0.29	1.1	3.5	2.3	0.8	1.8	1.3	94.9	88.6	91.9	94.5	88.2	91.5
直腸 2	C19-C20 D011-D012	0.25	0.26	0.26	0.2	1.5	0.8	0.0	0.6	0.3	97.2	96.0	96.7	97.0	95.1	96.2
肺	C33-C34 D021-D022	0.59	0.53	0.57	3.9	4.5	4.1	2.4	2.7	2.5	82.7	78.2	81.2	72.9	72.0	72.6
皮膚	C43-C44 D030-D049	0.07	0.09	0.08	0.6	1.1	0.9	0.0	0.6	0.3	98.8	97.2	98.0	98.8	97.2	98.0
乳房	C50 D05	0.25	0.17	0.17	0.0	1.1	1.1	0.0	0.8	0.8	100.0	95.4	95.4	100.0	94.6	94.6
子宮	C53-C55 D06	-	0.17	0.17	-	1.1	1.1	-	0.7	0.7	-	97.2	97.2	-	96.0	96.0
子宮頸部	C53 D06	-	0.10	0.10	-	0.6	0.6	-	0.3	0.3	-	98.5	98.5	-	97.7	97.7
膀胱	C67 D090	0.22	0.34	0.25	1.0	3.6	1.5	1.0	2.7	1.3	94.9	88.2	93.5	90.0	84.5	88.8

1 総数は男女および性別不詳の合計

2 粘膜がんを含む