

平成21年度 河川

水域名 小瀬川水系

類型： A 測定点：VC-1(両国橋)(055-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	1.0	5	1.3E+03	0.52	0.015
5	7.7	9.7	0.9	2	1.7E+03	0.63	0.018
6	7.7	9.7	1.8	3	1.3E+03	0.66	0.013
7	7.4	9.1	2.6	4	1.7E+03	1.0	0.020
8	7.3	9.0	1.1	5	4.6E+03	0.55	0.018
9	7.3	8.7	1.7	2	9.4E+02	0.79	0.012
10	7.4	9.0	0.7	2	4.9E+03	0.51	0.013
11	7.3	9.3	0.5	2	1.7E+03	0.41	0.007
12	7.3	10	<0.5	1	1.7E+03	0.45	0.006
1	7.1	11	0.6	2	2.2E+02	0.44	0.007
2	7.3	12	0.6	3	1.7E+02	0.48	0.011
3	7.3	11	2.2	5	7.9E+02	0.63	0.022
平均	7.4	9.9	1.2	3	1.8E+03	0.59	0.014
75%値			1.7				

類型： B 測定点：VC-2(大和橋)(056-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	9.9	1.3	5	6.7E+03	0.51	0.016
5	7.5	9.1	0.8	3	1.3E+03	0.52	0.021
6	7.6	9.3	1.6	5	3.2E+03	0.68	0.018
7	7.4	8.9	0.9	3	2.5E+03	0.68	0.018
8	7.4	8.8	1.1	5	1.9E+04	0.46	0.013
9	7.4	8.8	2.2	2	1.3E+03	0.84	0.013
10	7.5	8.8	0.7	2	6.4E+03	0.50	0.012
11	7.5	9.4	0.7	3	2.1E+04	0.52	0.015
12	7.6	9.6	0.6	2	2.1E+03	0.45	0.020
1	7.4	11	0.7	2	1.8E+02	0.43	0.009
2	7.7	11	1.2	2	4.8E+02	0.56	0.013
3	7.2	11	2.1	4	7.9E+02	0.61	0.019
平均	7.5	9.6	1.2	3	5.4E+03	0.56	0.016
75%値			1.3				

類型： AA 測定点：VC-3(小川津)(054-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	1.1	2	1.7E+03	0.43	0.011
5	7.7	9.8	0.7	1	1.4E+03	0.40	0.008
6	8.5	10	1.6	2	1.1E+03	0.57	0.011
7	7.6	9.4	1.2	3	4.9E+02	0.49	0.012
8	7.4	9.3	0.8	2	3.3E+03	0.39	0.013
9	7.4	8.7	0.8	<1	1.1E+03	0.46	0.008
10	7.4	8.6	<0.5	<1	1.7E+04	0.36	0.008
11	7.4	8.9	0.5	2	1.3E+04	0.40	0.006
12	7.3	9.8	0.5	1	1.1E+03	0.43	0.006
1	6.9	10	<0.5	1	7.9E+02	0.38	0.005
2	7.2	11	<0.5	<1	3.3E+02	0.40	0.006
3	7.3	11	2.7	5	1.4E+03	0.66	0.020
平均	7.5	9.7	1.0	2	3.6E+03	0.45	0.010
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 錦川水系

類型： B 測定点：EC-1(大正橋)(003-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	10	0.6	1	1.1E+03		
5	7.7	9.6	0.7	2	1.1E+04		
6	7.6	8.7	0.7	3	7.9E+03		
8	7.6	8.9	0.5	2	7.2E+03		
9	7.7	8.5	<0.5	2	7.9E+02		
10	7.6	9.2	<0.5	1	4.6E+02		
11	7.4	10	<0.5	<1	7.9E+03		
12	7.5	10	<0.5	1	3.3E+03		
1	7.6	12	0.9	1	3.3E+02		
2	7.8	12	<0.5	3	3.3E+02		
3	7.3	11	0.7	2	1.1E+02		
平均	7.6	9.9	0.6	2	4.0E+03		
75%値			0.7				

類型： B 測定点：EC-2(愛川橋)(004-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	11	<0.5	2	1.3E+03		
5	8.1	9.3	0.5	2	3.3E+03		
6	7.8	7.5	<0.5	4	7.0E+03		
8	8.0	8.3	0.6	6	4.2E+04		
9	7.9	7.8	<0.5	4	7.9E+03		
10	8.0	8.8	<0.5	1	1.3E+03		
11	8.1	9.8	0.6	<1	1.3E+04		
12	8.2	10	0.5	<1	7.9E+02		
1	8.2	10	0.9	<1	7.9E+01		
2	8.0	11	0.6	2	1.3E+03		
3	7.7	11	0.6	1	7.0E+02		
平均	8.0	9.4	0.6	3	1.0E+04		
75%値			0.6				

類型： A 測定点：EC-3(愛宕橋)(005-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	<1	1.7E+02	0.44	0.010
5	7.7	10	0.5	1	2.4E+03	0.39	0.009
6	7.4	9.0	<0.5	1	4.9E+03	0.43	0.016
8	7.5	8.8	<0.5	1	4.3E+03	0.41	0.015
9	7.6	8.4	<0.5	<1	7.9E+02	0.39	0.009
10	7.5	8.9	<0.5	<1	4.9E+02	0.45	0.012
11	7.4	10	<0.5	<1	1.3E+03	0.44	0.013
12	7.5	10	<0.5	<1	2.4E+03	0.47	0.013
1	7.5	11	0.6	<1	1.3E+02	0.41	0.008
2	7.5	11	<0.5	1	3.3E+02	0.37	0.010
3	7.3	11	0.7	2	2.2E+02	0.45	0.018
平均	7.5	9.8	0.5	1	1.8E+03	0.42	0.012
75%値			<0.5				

7月は欠測であり、8月の結果は、2回測定した平均を示す。

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

類型： A 測定点：EC-4(市上水取水口)(005-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	<1	2.4E+02		
5	7.8	10	<0.5	1	2.2E+03		
6	7.6	9.5	<0.5	2	1.7E+03		
8	7.7	9.1	<0.5	2	1.7E+03		
9	7.6	8.8	<0.5	<1	3.3E+02		
10	7.6	9.6	<0.5	<1	7.9E+02		
11	7.5	10	<0.5	1	2.4E+03		
12	7.5	11	<0.5	<1	1.3E+03		
1	7.5	12	0.6	1	2.2E+02		
2	7.4	11	<0.5	1	4.9E+01		
3	7.3	11	0.7	3	4.9E+02		
平均	7.6	10	0.5	1	1.1E+03		
75%値			<0.5				

類型： A 測定点：EC-5(守内橋)(005-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	1	3.3E+01		
5	7.9	10	0.5	1	3.5E+02		
6	7.6	9.2	<0.5	1	2.4E+03		
8	7.6	9.0	<0.5	1	5.2E+03		
9	7.8	9.3	<0.5	1	1.7E+03		
10	7.7	9.7	<0.5	<1	1.3E+03		
11	7.4	10	<0.5	8	2.4E+03		
12	7.6	11	<0.5	<1	4.9E+02		
1	7.5	12	0.6	<1	7.9E+01		
2	7.6	12	<0.5	1	1.3E+02		
3	7.3	11	0.6	1	7.9E+01		
平均	7.6	10	0.5	2	1.6E+03		
75%値			<0.5				

類型： A 測定点：EC-6(根笠橋)(005-04)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	<0.5	<1	4.9E+02		
5	7.9	10	0.6	1	7.9E+02		
6	7.8	9.7	0.5	1	1.1E+03		
8	8.2	9.5	<0.5	1	6.9E+03		
9	8.6	10	0.5	1	4.9E+02		
10	7.9	10	<0.5	<1	2.2E+03		
11	7.7	10	<0.5	2	2.4E+03		
12	7.7	11	<0.5	<1	4.9E+02		
1	7.6	13	0.6	<1	1.7E+03		
2	7.6	12	<0.5	1	3.3E+02		
3	7.4	11	0.6	1	4.9E+01		
平均	7.9	11	0.5	1	2.0E+03		
75%値			0.5				

7月は欠測であり、8月の結果は、2回測定した平均を示す。

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

類型： A 測定点：EC-10(垂門橋)(005-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	1	4.9E+02	0.41	0.027
5	7.6	10	<0.5	1	4.6E+03	0.49	0.024
6	7.5	8.7	0.5	2	7.9E+03	0.40	0.022
8	7.6	9.0	<0.5	1	7.6E+03	0.35	0.011
9	7.7	8.5	<0.5	1	7.0E+03	0.35	0.016
10	7.7	10	<0.5	<1	4.9E+03	0.42	0.008
11	7.4	10	<0.5	<1	3.3E+03	0.43	0.008
12	7.5	11	<0.5	<1	7.9E+02	0.40	0.010
1	7.4	13	<0.5	<1	4.9E+02	0.38	0.004
2	7.5	11	0.6	1	3.3E+02	0.29	0.007
3	7.4	11	0.5	<1	2.2E+02	0.32	0.019
平均	7.5	10	0.5	1	3.8E+03	0.38	0.014
75%値			<0.5				

類型： AA 測定点：EC-7(出市橋)(006-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	<0.5	<1	1.7E+02		
5	8.0	10	<0.5	<1	4.6E+02		
6	7.8	9.6	<0.5	1	2.2E+03		
8	8.1	9.5	<0.5	<1	2.9E+03		
9	8.2	9.5	<0.5	1	4.9E+03		
10	8.0	10	<0.5	<1	1.7E+03		
11	7.5	11	<0.5	<1	1.1E+03		
12	7.6	11	<0.5	<1	4.9E+02		
1	7.5	13	<0.5	<1	7.9E+01		
2	7.6	12	<0.5	<1	4.9E+02		
3	7.3	12	0.5	1	1.3E+01		
平均	7.8	11	0.5	1	1.4E+03		
75%値			<0.5				

類型： AA 測定点：EC-8(ふるえ橋)(006-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	<1	1.3E+02		
5	7.8	10	<0.5	<1	3.3E+02		
6	7.8	9.8	<0.5	1	2.2E+03		
8	8.0	9.3	<0.5	<1	3.0E+03		
9	8.0	9.5	<0.5	<1	2.4E+03		
10	7.8	10	<0.5	<1	4.6E+02		
11	7.5	11	<0.5	<1	4.9E+02		
12	7.5	11	<0.5	<1	2.4E+02		
1	7.4	13	<0.5	<1	1.3E+02		
2	7.4	12	<0.5	2	4.9E+02		
3	7.4	12	0.5	3	2.4E+02		
平均	7.7	11	0.5	1	1.1E+03		
75%値			<0.5				

7月は欠測であり、8月の結果は、2回測定した平均を示す。

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 由宇川水系

類型： A 測定点：PC-1(ひえだ堰)(041-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	12	0.6	2	2.8E+03	0.47	0.022
5	8.0	10	0.8	3	1.1E+04	0.49	0.039
6	7.7	11	0.8	7	4.9E+04	0.54	0.064
7	7.6	8.8	<0.5	8	2.4E+05	0.79	0.038
8	7.7	8.9	<0.5	2	1.7E+04	0.48	0.038
9	7.7	9.0	<0.5	5	4.9E+03	0.46	0.045
10	7.6	9.9	<0.5	2	1.3E+04	0.45	0.031
11	7.6	10	<0.5	1	1.1E+04	0.78	0.037
12	7.6	11	<0.5	1	1.3E+04	0.64	0.032
1	7.8	12	0.8	1	1.1E+03	0.47	0.020
2	7.6	12	0.5	1	3.3E+02	0.63	0.023
3	7.7	12	<0.5	5	1.1E+03	0.69	0.033
平均	7.7	11	0.6	3	3.0E+04	0.57	0.035
75%値			0.6				

類型： A 測定点：PC-2(積善橋)(041-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	11	0.5	1	2.2E+03		
5	8.2	10	0.6	1	1.1E+04		
6	8.0	10	0.7	3	2.8E+04		
7	7.7	9.0	<0.5	8	4.9E+04		
8	7.9	8.9	<0.5	3	3.3E+04		
9	7.8	9.1	<0.5	1	7.9E+03		
10	7.9	10	<0.5	<1	1.3E+04		
11	7.8	10	0.5	<1	1.3E+04		
12	7.8	11	<0.5	<1	3.3E+03		
1	8.1	14	0.8	<1	1.1E+03		
2	7.9	12	0.5	1	7.9E+02		
3	7.7	12	<0.5	4	7.0E+02		
平均	7.9	11	0.6	2	1.4E+04		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 柳井川水系

類型： B 測定点：NC-1(柳井大橋)(013-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.6	12	1.1	8	7.0E+03	0.78	0.068
5	8.1	9.7	0.8	13	7.9E+03	0.71	0.098
6	7.9	9.7	1.1	7	7.9E+04	0.78	0.11
7	7.6	7.6	0.9	10	1.3E+05	0.93	0.096
8	8.0	8.9	0.9	4	4.9E+04	0.46	0.059
9	8.5	10	0.6	7	2.4E+04	0.61	0.081
10	8.0	9.5	0.8	9	7.9E+04	0.55	0.069
11	7.8	10	0.6	3	7.9E+03	0.53	0.048
12	8.1	8.5	0.5	3	1.1E+03	0.46	0.032
1	8.2	10	1.0	1	1.1E+03	0.44	0.026
2	8.2	10	0.8	3	2.4E+03	0.44	0.019
3	8.2	13	1.2	24	1.1E+04	0.91	0.13
平均	8.1	9.9	0.9	8	3.3E+04	0.63	0.070
75%値			1.0				

類型： A 測定点：NC-2(元折橋)(014-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	13	1.3	2	4.9E+03		
5	7.7	11	1.4	7	7.9E+03		
6	7.4	9.7	1.1	3	4.9E+04		
7	7.5	8.0	0.9	8	3.3E+04		
8	7.7	8.6	2.5	3	1.3E+06		
9	7.5	9.2	0.9	3	4.9E+04		
10	7.4	10	1.0	1	1.4E+04		
11	7.5	10	0.5	3	7.0E+03		
12	7.6	11	1.0	1	7.9E+03		
1	7.8	14	1.4	1	7.9E+03		
2	7.5	12	1.3	3	3.3E+04		
3	7.6	12	1.1	3	7.9E+03		
平均	7.6	11	1.2	3	1.3E+05		
75%値			1.3				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 土穂石川水系

類型： B 測定点：NC-3(田布呂木橋)(017-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	1.5	5	4.9E+04	2.2	0.17
5	7.3	7.2	2.0	13	1.3E+05	2.1	0.20
6	7.8	10	1.5	5	1.3E+05	1.7	0.20
7	7.4	4.8	2.2	7	3.3E+05	2.4	0.29
8	7.6	8.2	1.5	13	3.3E+04	1.3	0.18
9	7.9	9.1	1.7	15	1.1E+05	2.6	0.33
10	7.7	10	2.0	8	1.1E+05	3.2	0.28
11	7.2	8.9	2.0	13	1.1E+05	2.1	0.16
12	7.3	9.4	1.5	6	1.1E+05	2.7	0.20
1	7.7	9.7	3.0	3	7.9E+03	2.4	0.24
2	7.4	8.8	2.1	3	1.7E+05	2.2	0.15
3	7.6	12	1.8	6	3.3E+04	1.6	0.15
平均	7.5	9.1	1.9	8	1.1E+05	2.2	0.21
75%値			2.0				

類型： A 測定点：NC-4(八幡橋)(018-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.1	5.7	2.1	3	1.1E+04		
5	7.2	4.5	2.3	5	7.9E+04		
6	7.3	5.7	2.2	8	4.9E+04		
7	7.3	3.2	2.2	5	7.9E+04		
8	7.4	6.1	1.6	5	1.1E+05		
9	7.3	6.5	2.5	12	3.3E+05		
10	7.2	6.0	4.2	12	1.3E+05		
11	7.0	8.0	2.1	9	3.3E+05		
12	7.2	8.7	1.8	4	3.3E+04		
1	7.5	11	3.5	3	2.8E+05		
2	7.2	9.3	2.9	3	1.3E+07		
3	7.3	11	1.6	6	3.3E+04		
平均	7.3	7.1	2.4	6	1.2E+06		
75%値			2.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 田布施川水系

類型： B 測定点：AC-1(八海橋)(019-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.5	14	0.7	8	1.3E+03	0.47	0.065
5	8.2	11	0.8	7	4.9E+02	0.46	0.097
6	7.8	8.1	1.1	11	4.9E+03	0.85	0.12
7	7.8	7.4	1.0	14	7.9E+03	0.69	0.14
8	8.6	10	0.7	7	3.3E+03	0.53	0.082
9	9.1	14	1.2	15	3.3E+03	0.45	0.095
10	8.4	12	0.9	9	4.9E+03	0.65	0.090
11	7.8	10	0.7	5	3.3E+04	1.0	0.089
12	8.1	10	0.9	2	1.4E+03	0.87	0.050
1	8.2	12	1.2	5	2.4E+03	0.83	0.048
2	8.1	9.4	0.8	3	1.3E+03	0.70	0.029
3	7.9	13	0.7	12	1.7E+03	0.87	0.084
平均	8.2	11	0.9	8	5.5E+03	0.70	0.082
75%値			1.0				

類型： A 測定点：AC-2(中央橋)(020-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	10	0.8	3	1.1E+03		
5	7.7	9.0	<0.5	5	1.4E+04		
6	8.8	11	2.1	7	1.1E+04		
7	7.6	7.6	0.8	4	1.3E+04		
8	7.7	8.7	0.9	1	1.7E+04		
9	7.7	8.3	0.6	1	2.4E+04		
10	7.7	9.6	0.5	3	3.3E+04		
11	7.4	9.8	0.9	2	2.4E+04		
12	7.6	10	0.5	2	3.3E+04		
1	7.6	11	1.0	6	7.9E+03		
2	7.5	12	0.5	8	3.3E+02		
3	7.5	11	0.8	10	1.3E+04		
平均	7.7	9.8	0.8	4	1.6E+04		
75%値			0.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。



平成21年度 河川

水域名 光井川水系

類型： B 測定点：HC-1(鮎婦橋下流30m) (068-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	1.2	1	7.0E+03	0.65	0.041
5	7.6	8.9	1.0	3	7.9E+03	0.60	0.051
6	7.6	7.9	0.7	4	1.7E+04	0.77	0.083
7	7.5	8.2	0.5	5	4.9E+04	0.75	0.056
8	8.0	8.5	0.6	6	3.5E+04	0.45	0.045
9	7.8	8.3	0.7	3	3.3E+04	0.63	0.057
10	7.7	8.8	0.5	3	2.4E+05	0.70	0.057
11	7.7	10	1.5	1	4.9E+04	0.81	0.051
12	7.7	10	1.3	<1	2.8E+04	0.89	0.050
1	8.0	13	1.6	<1	7.0E+03	0.97	0.054
2	7.5	11	1.6	2	3.3E+04	1.0	0.057
3	7.6	11	1.1	1	7.9E+03	0.88	0.043
平均	7.7	9.7	1.0	3	4.3E+04	0.76	0.054
75%値			1.3				

類型： A 測定点：HC-2(宮田橋上流300m) (069-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	12	1.1	<1	3.3E+04		
5	9.3	10	1.1	2	2.2E+04		
6	7.4	8.2	0.9	2	3.3E+04		
7	7.4	8.1	0.5	5	1.1E+05		
8	8.1	9.3	<0.5	5	1.3E+04		
9	7.5	8.4	0.5	4	1.3E+04		
10	7.7	8.9	<0.5	2	3.3E+04		
11	7.7	10	0.9	1	1.3E+04		
12	7.9	12	0.9	<1	4.9E+03		
1	8.9	15	1.3	1	7.9E+03		
2	7.6	12	1.1	1	3.3E+03		
3	7.6	11	0.9	1	1.3E+04		
平均	8.0	10	0.9	2	2.5E+04		
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

## 平成21年度 河川

水域名 島田川水系

類型： A 測定点：GC-1(米川橋) (023-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	12	0.8	1	4.9E+03		
5	7.5	12	0.8	2	7.9E+03		
6	7.2	10	0.6	2	1.1E+04		
7	7.1	9.2	<0.5	4	4.9E+04		
8	7.1	8.7	<0.5	2	1.3E+04		
9	7.2	9.0	<0.5	<1	1.3E+04		
10	7.1	9.5	<0.5	<1	1.3E+04		
11	7.3	11	0.9	1	3.3E+03		
12	7.3	11	0.6	<1	7.9E+03		
1	7.3	12	0.7	<1	1.1E+03		
2	7.0	10	0.6	2	1.7E+03		
3	7.3	12	<0.5	1	4.6E+03		
平均	7.2	11	0.6	2	1.1E+04		
75%値			0.7				

類型： A 測定点：GC-2(束荷川合流点下100m) (023-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	0.6	1	1.1E+03		
5	8.5	12	0.9	4	1.1E+03		
6	7.4	9.3	0.5	4	1.1E+04		
7	7.4	8.7	<0.5	4	1.3E+04		
8	7.4	8.4	<0.5	4	4.9E+03		
9	7.6	9.0	<0.5	1	1.1E+04		
10	7.4	9.0	<0.5	<1	1.7E+04		
11	7.5	11	0.8	<1	3.3E+03		
12	7.5	10	<0.5	1	4.9E+03		
1	7.7	13	0.9	1	7.9E+02		
2	7.3	11	0.5	2	2.4E+03		
3	7.3	11	<0.5	2	1.1E+03		
平均	7.5	10	0.6	2	6.0E+03		
75%値			0.6				

類型： A 測定点：GC-3(千歳小橋) (023-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	1	1.3E+04	0.54	0.019
5	7.8	10	0.5	3	7.9E+02	0.54	0.027
6	7.6	9.0	<0.5	5	2.8E+03	0.62	0.061
7	7.4	8.6	<0.5	4	1.7E+04	0.83	0.049
8	7.3	8.0	<0.5	2	2.2E+04	0.64	0.037
9	7.7	8.9	0.5	2	3.3E+03	0.57	0.035
10	7.5	8.9	<0.5	2	3.3E+04	0.67	0.041
11	7.6	11	0.8	<1	2.8E+05	0.61	0.034
12	7.6	10	<0.5	2	3.3E+03	0.65	0.035
1	7.6	12	0.8	3	1.4E+04	0.68	0.022
2	7.5	11	0.6	2	1.4E+04	0.68	0.025
3	7.4	11	<0.5	3	2.8E+03	0.65	0.030
平均	7.6	10	0.6	3	3.4E+04	0.64	0.035
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 切戸川水系

類型： B 測定点：QC-1(切戸大橋)(042-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	11	0.5	4	1.7E+04	0.80	0.028
5	7.9	11	0.8	1	1.1E+04	0.49	0.032
6	7.7	9.5	0.7	7	1.3E+05	0.71	0.063
7	7.6	9.0	<0.5	3	2.4E+04	0.81	0.047
8	8.0	9.4	<0.5	2	2.2E+04	0.72	0.037
9	7.8	9.6	<0.5	2	3.3E+04	0.69	0.049
10	7.9	9.6	<0.5	2	2.4E+04	0.92	0.048
11	7.8	11	<0.5	1	7.0E+03	0.75	0.039
12	8.1	12	0.5	<1	7.9E+03	0.80	0.034
1	8.1	14	0.8	1	3.3E+02	0.67	0.024
2	7.8	13	0.5	2	4.9E+03	0.90	0.033
3	7.8	12	<0.5	1	7.9E+02	0.75	0.030
平均	7.9	11	0.6	2	2.3E+04	0.75	0.039
75%値			0.5				

類型： A 測定点：QC-2(下出合橋)(043-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	12	<0.5	<1	2.4E+03		
5	8.3	11	<0.5	5	2.8E+04		
6	8.1	10	0.5	1	2.4E+04		
7	7.8	9.3	<0.5	2	1.1E+05		
8	8.3	9.8	<0.5	1	3.5E+04		
9	7.9	9.4	<0.5	1	3.3E+04		
10	8.0	9.5	<0.5	1	3.3E+04		
11	7.9	11	<0.5	<1	3.3E+03		
12	8.1	11	0.5	<1	3.3E+03		
1	8.3	15	0.8	<1	3.3E+03		
2	7.9	12	0.5	1	2.4E+03		
3	7.7	12	<0.5	1	1.1E+03		
平均	8.0	11	0.5	1	2.3E+04		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 平田川水系

類型： A 測定点：GC-4(平田橋中央)(025-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	10	1.4	3	2.2E+04		
5	7.9	10	1.7	2	1.4E+04		
6	7.8	9.9	0.9	3	1.7E+04		
7	7.5	9.0	0.9	3	7.9E+04		
8	7.6	8.9	0.7	3	4.9E+04		
9	7.7	8.5	0.6	2	2.4E+04		
10	7.5	8.8	<0.5	1	3.3E+04		
11	7.6	9.1	0.8	<1	4.9E+05		
12	7.7	12	0.9	2	4.9E+03		
1	7.9	13	1.2	1	3.3E+04		
2	7.8	11	1.6	4	1.7E+04		
3	7.8	11	0.9	1	1.1E+04		
平均	7.7	10	1.0	2	6.6E+04		
75%値			1.2				

類型： B 測定点：GC-5(平田橋188号線)(024-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	9.1	1.4	4	3.3E+03	1.1	0.045
5	8.7	13	1.4	5	1.7E+04	0.81	0.062
6	8.1	10	0.9	4	1.3E+04	0.97	0.087
7	7.7	9.5	0.7	3	3.3E+04	1.1	0.077
8	7.7	9.2	0.6	2	2.2E+04	1.1	0.071
9	7.8	9.0	0.5	2	2.4E+04	1.0	0.063
10	7.7	9.2	<0.5	1	3.3E+04	1.1	0.064
11	7.8	9.2	0.9	<1	7.0E+04	0.89	0.042
12	7.7	11	0.8	1	1.3E+04	1.1	0.048
1	7.8	12	1.0	<1	7.9E+03	1.2	0.033
2	7.7	11	1.2	2	7.9E+03	1.3	0.060
3	8.0	12	0.7	1	7.0E+03	1.4	0.058
平均	7.9	10	0.9	2	2.1E+04	1.1	0.059
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 末武川水系

類型： A 測定点：GC-6(月見橋)(026-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	10	<0.5	3	3.3E+02		
5	7.7	10	<0.5	3	3.3E+02		
6	7.8	9.7	<0.5	8	7.9E+02		
7	7.8	8.8	0.6	14	7.9E+03		
8	7.8	9.5	<0.5	2	2.4E+03		
9	7.8	9.0	<0.5	2	2.2E+03		
10	7.9	9.3	<0.5	4	2.2E+04		
11	7.7	9.3	<0.5	1	1.7E+04		
12	7.8	11	<0.5	1	1.3E+03		
1	7.9	12	0.6	1	1.7E+03		
2	7.8	12	<0.5	<1	2.4E+02		
3	7.9	11	<0.5	2	1.1E+03		
平均	7.8	10	0.5	4	4.8E+03		
75%値			<0.5				

類型： A 測定点：GC-7(荒神大橋)(026-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	9.2	2.9	17	2.4E+06	1.0	0.11
5	7.5	7.3	6.2	18	4.9E+05	1.1	0.15
6	7.4	6.2	1.7	2	7.9E+06	0.84	0.071
7	7.1	4.3	0.9	4	2.8E+05	1.1	0.062
8	7.5	9.0	2.0	2	7.9E+05	0.88	0.045
9	7.2	6.0	0.6	2	7.9E+05	0.70	0.044
10	7.6	10	3.6	2	1.3E+07	1.0	0.091
11	7.4	8.0	1.7	6	7.9E+06	0.71	0.077
12	7.7	12	5.7	1	1.4E+07	1.4	0.11
1	7.8	12	6.2	2	3.3E+07	1.5	0.14
2	7.5	10	6.4	5	3.3E+07	1.5	0.12
3	7.7	11	9.1	5	1.7E+07	1.5	0.11
平均	7.5	8.8	3.9	6	1.1E+07	1.1	0.094
75%値			6.2				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 富田川水系

類型： A 測定点：GC-8(横矢堰)(028-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	11	0.7	1	3.3E+02		
5	7.7	9.6	0.7	1	3.3E+03		
6	7.7	9.0	0.6	3	7.0E+03		
7	7.7	9.7	<0.5	2	4.9E+03		
8	7.7	9.1	<0.5	2	2.4E+03		
9	7.7	8.5	0.8	4	1.7E+04		
10	7.9	8.8	0.6	1	4.9E+04		
11	7.5	8.9	<0.5	1	7.9E+03		
12	7.7	10	<0.5	2	4.9E+03		
1	7.8	11	0.6	<1	7.9E+02		
2	7.9	11	1.2	1	1.1E+02		
3	7.7	11	0.5	2	3.3E+03		
平均	7.7	9.8	0.6	2	8.4E+03		
75%値			0.7				

類型： B 測定点：GC-9(新開橋)(027-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	10	0.6	11	4.9E+03	0.61	0.032
5	7.8	10	0.8	9	4.9E+03	0.66	0.047
6	7.7	9.5	<0.5	6	7.9E+03	0.61	0.045
7	7.7	9.8	<0.5	4	2.8E+04	0.60	0.028
8	7.8	9.5	0.5	3	4.9E+03	0.57	0.040
9	7.6	8.7	0.5	10	4.9E+03	0.57	0.050
10	7.4	8.1	<0.5	2	1.3E+05	0.70	0.043
11	7.5	7.7	0.5	4	1.1E+04	0.49	0.030
12	7.8	11	0.5	2	1.1E+03	0.63	0.026
1	7.8	12	<0.5	1	1.4E+03	0.56	0.015
2	7.6	11	0.8	6	7.9E+02	0.74	0.028
3	7.7	12	<0.5	5	1.7E+03	0.89	0.034
平均	7.7	9.9	0.6	5	1.7E+04	0.64	0.035
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 夜市川水系

類型： A 測定点：GC-10(湯野国際観光ホテル前の井堰)(030-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	2	7.9E+03		
5	7.5	10	<0.5	2	2.2E+04		
6	7.6	9.7	0.6	10	7.0E+04		
7	7.4	9.1	<0.5	3	4.9E+04		
8	7.4	9.0	<0.5	5	1.3E+04		
9	7.5	9.0	<0.5	5	2.8E+04		
10	7.4	9.7	<0.5	2	1.7E+04		
11	7.5	10	0.9	<1	3.3E+03		
12	7.6	12	0.5	1	3.3E+03		
1	7.9	13	0.6	<1	4.9E+03		
2	7.5	12	<0.5	2	7.0E+03		
3	7.5	11	0.6	4	3.3E+03		
平均	7.5	10	0.6	3	1.9E+04		
75%値			0.6				

類型： B 測定点：GC-11(常盤橋)(029-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	8.9	0.5	7	1.1E+04	0.51	0.033
5	7.2	7.8	0.8	9	2.4E+04	0.75	0.048
6	7.2	8.8	0.5	4	2.4E+04	0.79	0.070
7	7.3	8.9	<0.5	3	1.3E+05	0.66	0.037
8	7.3	9.1	<0.5	2	4.9E+04	0.50	0.032
9	7.4	7.9	<0.5	2	7.0E+03	0.45	0.036
10	7.3	8.5	<0.5	4	4.9E+04	0.63	0.038
11	7.3	8.8	<0.5	1	1.3E+04	0.42	0.028
12	7.4	11	<0.5	2	1.1E+03	0.51	0.024
1	7.6	13	0.5	2	3.3E+03	0.45	0.015
2	7.3	10	0.5	6	3.3E+03	0.68	0.034
3	7.3	11	0.8	6	2.4E+03	0.62	0.022
平均	7.3	9.5	0.6	4	2.6E+04	0.58	0.035
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 佐波川水系

類型： B 測定点：NC-1(佐波川大橋)(007-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	0.8	3	2.3E+02	0.48	0.019
5	7.9	10	1.7	4	4.9E+02	0.42	0.043
6	7.8	8.0	0.9	4	4.9E+02	0.40	0.041
7	7.7	9.0	0.6	4	1.3E+04	0.50	0.029
8	7.4	8.8	1.0	15	7.9E+04	0.51	0.035
9	7.8	9.7	0.5	8	1.1E+03	0.45	0.033
10	7.3	8.2	0.6	7	2.4E+04	0.61	0.037
11	7.8	9.9	0.7	2	4.6E+02	0.37	0.025
12	8.1	11	1.0	2	7.9E+02	0.40	0.026
1	7.5	12	<0.5	2	2.2E+03	0.53	0.017
2	7.4	10	<0.5	2	1.7E+03	0.54	0.016
3	7.6	12	0.7	7	7.9E+02	0.61	0.024
平均	7.6	9.9	0.8	5	1.0E+04	0.49	0.029
75%値			0.9				

類型： A 測定点：NC-2(新橋)(008-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	10	0.8	1	5.1E+02	0.45	0.011
5	7.4	9.5	0.8	1	3.3E+03	0.43	0.018
6	7.4	9.1	0.7	1	4.1E+03	0.48	0.024
7	7.2	9.1	0.7	3	1.3E+04	0.45	<0.003
8	7.2	8.7	0.9	6	5.1E+04	0.52	0.034
9	7.5	8.7	0.5	3	2.8E+03	0.44	0.016
10	7.4	9.4	<0.5	2	9.1E+03	0.46	0.024
11	7.4	11	0.5	1	7.3E+02	0.33	0.010
12	7.5	12	0.5	1	6.2E+02	0.43	0.009
1	7.7	12	<0.5	1	4.2E+02	0.45	0.008
2	7.4	13	<0.5	2	3.6E+02	0.50	0.009
3	7.3	11	0.7	9	9.4E+02	0.59	0.028
平均	7.4	10	0.6	3	7.2E+03	0.46	0.016
75%値			0.7				

類型： A 測定点：NC-3(漆尾)(008-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.0	11	0.7	<1	4.9E+02	0.54	0.013
5	8.6	11	0.7	<1	1.3E+03	0.53	0.022
6	7.4	10	1.1	1	5.4E+03	0.50	0.029
7	7.7	9.7	0.9	2	2.4E+04	0.41	0.024
8	7.3	9.2	1.2	20	5.4E+05	0.51	0.056
9	7.7	9.8	0.6	2	4.9E+03	0.41	0.023
10	7.4	9.6	0.6	4	2.2E+04	0.46	0.028
11	7.4	12	<0.5	1	3.3E+03	0.46	0.019
12	7.5	12	<0.5	1	2.4E+03	0.44	0.014
1	7.3	13	<0.5	<1	7.9E+02	0.49	0.011
2	7.4	13	<0.5	<1	2.3E+02	0.57	0.012
3	7.4	12	0.9	4	1.3E+03	0.69	0.023
平均	7.5	11	0.7	3	5.1E+04	0.50	0.023
75%値			0.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。



平成21年度 河川

水域名 榎野川水系

類型： B 測定点：YC-1(百間橋)(011-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	9.4	1.1	12	3.5E+02	2.2	0.13
5	7.4	6.8	0.7	18	1.4E+03	2.9	0.18
6	7.7	6.6	0.8	19	1.4E+02	0.79	0.11
7	7.5	8.3	0.5	9	2.2E+04	0.83	0.063
8	8.0	9.5	0.8	16	3.5E+03	0.90	0.070
9	7.8	7.5	1.4	32	4.9E+02	1.4	0.10
10	7.6	7.2	0.6	16	4.9E+03	2.8	0.14
11	7.6	9.3	0.6	9	2.4E+04	1.5	0.099
12	7.5	9.0	0.6	6	2.4E+03	2.9	0.17
1	8.0	12	1.0	4	7.0E+01	2.6	0.16
2	7.9	11	0.5	3	4.9E+02	1.8	0.078
3	7.5	11	1.2	24	1.1E+04	1.8	0.14
平均	7.7	9.0	0.8	14	5.9E+03	1.9	0.12
75%値			1.0				

類型： A 測定点：YC-2(平野)(012-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	12	1.0	4	7.9E+02		
5	7.3	8.6	0.6	4	1.3E+04		
6	7.5	7.8	0.6	4	1.7E+04		
7	7.4	8.3	<0.5	3	3.3E+04		
8	7.5	9.0	<0.5	3	2.4E+04		
9	7.5	9.4	0.6	4	7.9E+03		
10	7.5	9.2	0.5	1	1.3E+04		
11	7.4	9.7	<0.5	1	3.3E+04		
12	7.3	9.9	0.5	2	4.9E+03		
1	7.5	12	0.9	<1	2.4E+03		
2	7.3	10	0.6	3	2.4E+03		
3	7.7	11	0.7	8	1.3E+04		
平均	7.5	9.7	0.6	3	1.4E+04		
75%値			0.6				

類型： A 測定点：YC-3(文場橋)(012-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	10	0.8	2	2.4E+03		
5	7.6	9.1	0.9	3	4.9E+03		
6	7.8	8.9	0.8	2	2.8E+03		
7	7.4	8.4	<0.5	2	3.3E+04		
8	7.5	9.6	<0.5	1	4.9E+03		
9	7.5	8.2	0.6	1	3.3E+02		
10	7.4	8.6	0.6	2	4.9E+04		
11	7.4	9.8	<0.5	1	3.3E+04		
12	7.3	10	0.6	1	2.2E+04		
1	7.6	12	1.1	<1	4.9E+03		
2	7.4	11	0.6	1	7.9E+03		
3	7.6	11	0.6	3	1.4E+03		
平均	7.5	9.7	0.7	2	1.4E+04		
75%値			0.8				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 南若川水系

類型： A 測定点：JC-1(金毛川合流点下250m) (058-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	12	1.5	3	1.7E+03		
5	8.0	11	0.8	3	2.4E+04		
6	7.6	8.2	1.1	7	1.3E+05		
7	7.5	7.7	0.5	3	7.9E+04		
8	7.4	8.6	0.8	3	1.3E+04		
9	7.4	8.4	0.7	2	7.9E+03		
10	9.2	13	1.2	4	7.0E+03		
11	7.6	9.8	0.5	3	3.3E+04		
12	8.1	12	0.5	1	2.2E+03		
1	7.9	14	1.0	<1	4.9E+02		
2	7.9	13	0.8	1	1.3E+03		
3	8.0	12	0.8	4	2.4E+03		
平均	7.9	11	0.9	3	2.5E+04		
75%値			1.0				

類型： B 測定点：JC-2(新栄橋) (057-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	12	1.6	8	1.3E+03	0.83	0.10
5	7.3	7.8	0.6	25	1.7E+04	0.72	0.14
6	7.2	5.6	1.1	27	3.3E+04	0.99	0.15
7	7.5	8.1	<0.5	4	7.9E+03	0.73	0.12
8	7.6	8.5	0.7	5	1.3E+04	0.53	0.075
9	7.8	9.9	0.8	22	2.2E+04	0.48	0.13
10	7.5	7.7	<0.5	10	7.9E+03	0.77	0.088
11	7.6	10	0.9	16	1.3E+05	1.2	0.11
12	7.9	11	0.7	15	3.3E+03	0.81	0.10
1	8.6	16	1.3	3	1.3E+02	0.75	0.050
2	8.3	12	1.5	5	7.0E+02	0.96	0.062
3	8.1	12	1.2	12	2.2E+03	0.86	0.079
平均	7.8	10	1.0	13	2.0E+04	0.80	0.10
75%値			1.2				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

## 平成21年度 河川

水域名 厚東川水系

類型： A 測定点：UC-1(厚東川ダム下)(001-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	10	1.0	2	1.3E+03		
5	7.9	9.8	0.5	2	4.9E+03		
6	7.9	8.9	0.9	2	7.0E+03		
7	8.0	9.1	0.5	8	2.4E+04		
8	7.7	8.0	1.1	3	1.7E+03		
9	7.7	8.9	0.8	3	3.3E+04		
10	8.2	10	0.7	3	4.9E+03		
11	7.9	9.7	1.1	3	3.3E+03		
12	8.2	12	0.9	3	4.9E+03		
1	8.1	13	1.3	3	3.3E+02		
2	7.7	11	1.1	3	1.7E+02		
3	7.8	10	0.7	4	3.3E+02		
平均	7.9	10	0.9	3	7.2E+03		
75%値			1.1				

類型： A 測定点：UC-2(末信橋)(001-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	9.2	1.3	2	1.1E+02		
5	7.6	8.3	1.2	2	2.8E+02		
6	8.0	8.7	1.6	2	4.9E+03		
7	7.7	8.7	<0.5	5	3.3E+04		
8	8.6	9.5	2.5	5	1.4E+03		
9	8.1	7.8	0.8	2	7.0E+02		
10	8.3	10	2.7	4	1.3E+06		
11	7.9	10	0.9	2	2.4E+03		
12	7.8	11	0.9	2	2.4E+03		
1	8.1	13	1.3	1	4.9E+01		
2	8.0	11	0.9	7	4.9E+02		
3	7.9	11	0.8	4	4.9E+02		
平均	8.0	9.9	1.3	3	1.1E+05		
75%値			1.3				

類型： B 測定点：UC-3(厚東川大橋)(002-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	9.9	2.7	12	3.3E+02	0.54	0.047
5	7.7	7.0	0.9	16	2.8E+02	0.74	0.061
6	7.7	6.6	1.5	25	1.3E+03	0.78	0.098
7	7.7	8.6	<0.5	7	3.3E+04	0.80	0.033
8	7.9	7.7	1.0	15	1.7E+03	0.56	0.038
9	7.8	7.5	0.9	5	7.9E+02	0.49	0.031
10	7.9	8.1	1.6	12	3.3E+03	0.64	0.054
11	7.8	10	0.8	3	7.9E+03	0.80	0.029
12	7.9	9.8	0.5	3	4.9E+03	0.75	0.035
1	8.2	12	0.8	2	1.3E+02	0.73	0.036
2	8.0	11	0.9	2	2.8E+03	0.60	0.017
3	7.9	12	0.5	8	2.4E+02	0.68	0.024
平均	7.9	9.2	1.1	9	4.7E+03	0.68	0.042
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 厚東川水系

類型： A 測定点：UC-6(吉野橋)(064-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	9.0	1.0	4	1.7E+03	0.53	0.016
5	8.2	9.1	0.7	4	4.9E+03	0.64	0.025
6	8.1	8.2	0.9	6	3.3E+04	0.45	0.041
7	8.0	9.1	<0.5	5	1.7E+04	0.74	0.026
8	8.2	8.8	<0.5	1	1.4E+03	0.61	0.015
9	8.3	8.8	0.5	2	4.9E+03	0.53	0.020
10	8.3	10	<0.5	1	7.9E+03	0.50	0.012
11	8.2	11	0.9	1	4.9E+03	0.84	0.020
12	8.3	11	<0.5	1	7.0E+02	0.74	0.013
1	8.3	13	0.5	<1	4.9E+01	0.66	0.006
2	8.1	10	0.7	2	1.7E+03	0.58	0.006
3	8.0	11	<0.5	8	3.3E+03	0.83	0.033
平均	8.2	9.9	0.6	3	6.8E+03	0.64	0.019
75%値			0.7				

類型： A 測定点：UC-7(宇内橋)(065-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	9.6	0.8	3	2.2E+03	0.56	0.040
5	7.7	9.2	0.7	2	7.0E+03	0.82	0.076
6	7.9	8.3	<0.5	2	1.1E+04	0.55	0.079
7	7.8	8.9	<0.5	4	2.2E+04	0.61	0.032
8	7.9	8.4	<0.5	2	1.7E+04	0.50	0.033
9	8.0	8.8	<0.5	1	7.0E+03	0.44	0.036
10	8.1	10	<0.5	<1	7.9E+03	0.41	0.026
11	7.9	11	1.0	<1	1.1E+04	0.66	0.022
12	7.9	12	<0.5	1	4.9E+03	0.59	0.022
1	8.0	14	0.8	<1	3.3E+02	0.46	0.011
2	7.8	10	0.5	3	4.9E+03	0.60	0.019
3	7.6	12	<0.5	3	1.1E+03	0.65	0.028
平均	7.9	10	0.6	2	8.0E+03	0.57	0.035
75%値			0.7				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 有帆川水系

類型： A 測定点：KC-1(下田橋)(032-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.5	11	0.9	7	1.1E+04		
5	7.8	9.7	1.1	3	2.2E+03		
6	8.7	12	4.7	8	1.3E+04		
7	7.3	8.2	<0.5	4	2.8E+04		
8	7.4	7.0	0.8	2	7.9E+03		
9	7.8	8.6	0.9	15	4.9E+04		
10	7.9	9.3	0.7	2	4.9E+04		
11	7.7	10	1.0	1	7.0E+03		
12	7.6	10	0.6	2	2.4E+04		
1	7.9	12	0.9	1	7.9E+02		
2	7.7	10	1.0	11	7.9E+03		
3	7.6	12	0.6	7	2.4E+03		
平均	7.8	10	1.1	5	1.7E+04		
75%値			1.0				

類型： B 測定点：KC-2(小野田橋)(031-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	9.7	0.8	18	2.8E+03	0.61	0.058
5	7.7	7.7	0.8	20	4.9E+02	0.84	0.085
6	7.7	7.2	0.8	23	1.1E+03	1.2	0.087
7	6.8	7.3	0.5	11	1.3E+05	1.0	0.035
8	7.6	7.8	1.0	20	1.3E+03	0.52	0.048
9	7.7	6.7	0.9	13	7.9E+03	0.56	0.050
10	7.7	7.6	<0.5	9	1.7E+03	0.54	0.044
11	7.7	8.5	0.8	8	4.6E+03	1.1	0.043
12	7.7	8.8	0.7	10	4.9E+03	1.4	0.033
1	7.8	12	2.0	5	2.2E+03	1.0	0.037
2	7.5	9.4	1.0	11	1.3E+04	1.0	0.038
3	7.3	12	0.7	9	3.3E+02	0.76	0.039
平均	7.6	8.7	0.9	13	1.4E+04	0.88	0.050
75%値			0.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 厚狭川水系

類型： A 測定点：KC-3(祖父瀬橋) (034-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	9.5	0.6	4	2.4E+04		
5	8.1	9.8	0.6	3	7.0E+02		
6	8.1	8.6	0.6	3	3.3E+04		
7	8.0	9.0	<0.5	7	1.7E+04		
8	8.2	9.4	<0.5	3	4.9E+03		
9	8.2	9.0	<0.5	2	3.3E+03		
10	8.2	10	<0.5	1	3.5E+03		
11	8.0	11	0.9	1	7.0E+03		
12	8.1	11	0.5	<1	3.3E+03		
1	8.2	13	0.6	<1	1.3E+02		
2	8.0	9.7	0.6	4	3.3E+02		
3	7.8	12	0.5	4	2.4E+03		
平均	8.1	10	0.6	3	8.3E+03		
75%値			0.6				

類型： A 測定点：KC-4(湯峠橋) (034-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	10	0.6	3	3.3E+03		
5	8.6	11	<0.5	1	1.4E+03		
6	8.3	9.3	0.5	2	1.3E+04		
7	8.1	8.9	<0.5	4	1.4E+04		
8	8.4	9.0	<0.5	2	7.9E+03		
9	8.4	9.2	<0.5	1	3.3E+04		
10	8.3	10	<0.5	<1	7.0E+03		
11	8.1	11	0.5	1	2.4E+04		
12	8.3	12	0.5	<1	2.4E+03		
1	8.4	14	0.7	<1	2.4E+02		
2	8.0	10	0.7	3	7.9E+02		
3	7.8	12	<0.5	7	7.9E+02		
平均	8.3	11	0.5	2	9.0E+03		
75%値			0.5				

類型： B 測定点：KC-5(渡場大橋) (033-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	8.3	0.8	9	3.3E+03	0.56	0.052
5	8.3	7.9	1.0	2	1.3E+04	0.68	0.048
6	7.6	6.0	1.1	4	1.7E+04	0.58	0.076
7	7.8	8.6	0.5	5	1.4E+05	0.67	0.038
8	7.7	7.4	<0.5	1	9.4E+03	0.53	0.089
9	8.0	8.2	0.5	1	4.9E+03	0.50	0.034
10	8.0	8.8	<0.5	1	4.9E+04	0.49	0.036
11	7.8	10	1.0	1	7.9E+03	0.76	0.029
12	7.9	10	0.7	1	4.9E+03	0.73	0.030
1	7.9	12	1.1	1	4.9E+03	0.93	0.033
2	7.8	9.3	0.9	3	1.1E+04	0.90	0.033
3	7.6	12	0.7	9	1.1E+03	0.79	0.047
平均	7.9	9.0	0.8	3	2.2E+04	0.68	0.045
75%値			1.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 真締川水系

類型： B 測定点：RC-4(錦橋)(044-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	7.5	0.7	12	7.0E+03	0.94	0.081
5	7.6	9.7	0.8	14	7.0E+03	0.93	0.088
6	7.7	8.3	0.7	15	7.9E+04	0.70	0.099
7	7.6	7.5	0.7	12	1.3E+05	0.95	0.088
8	7.8	9.8	0.5	13	2.4E+04	0.72	0.062
9	7.9	8.9	<0.5	10	1.3E+04	0.50	0.070
10	7.7	9.9	<0.5	7	2.4E+04	0.70	0.060
11	7.4	6.4	0.5	5	1.3E+05	0.78	0.054
12	7.5	10	0.5	2	4.9E+03	0.80	0.043
1	7.9	12	1.1	2	7.0E+02	0.98	0.032
2	7.6	9.0	0.5	2	1.3E+03	0.65	0.025
3	7.8	11	0.8	4	4.9E+03	0.65	0.035
平均	7.7	9.2	0.7	8	3.5E+04	0.78	0.061
75%値			0.7				

類型： A 測定点：RC-5(新橋)(045-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	8.2	1.6	8	1.7E+04		
5	7.7	7.7	1.0	6	1.7E+04		
6	7.7	6.1	1.0	7	7.9E+04		
7	7.8	7.5	1.0	7	1.7E+04		
8	7.8	8.2	0.6	8	4.9E+04		
9	7.6	7.2	0.7	11	1.4E+04		
10	7.7	8.7	0.6	5	4.9E+04		
11	7.7	9.1	0.6	6	2.2E+05		
12	7.8	10	0.6	3	1.3E+04		
1	7.9	14	2.1	1	1.1E+03		
2	7.7	10	1.6	4	4.9E+03		
3	7.6	9.7	0.8	6	1.3E+04		
平均	7.7	8.9	1.0	6	4.1E+04		
75%値			1.0				

類型： B 測定点：RC-6(琴芝橋)(044-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	8.1	1.1	10	3.3E+04		
5	7.3	12	0.6	2	1.7E+04		
6	7.5	7.9	1.1	11	7.9E+04		
7	7.2	6.1	<0.5	3	7.0E+04		
8	7.2	9.9	0.7	3	2.4E+04		
9	7.6	8.4	0.5	16	1.7E+04		
10	7.4	9.9	0.6	5	4.9E+04		
11	7.1	7.2	0.9	7	3.3E+04		
12	7.3	9.2	0.7	2	1.3E+04		
1	7.3	12	1.4	2	2.2E+02		
2	7.1	8.9	1.1	6	7.0E+02		
3	7.1	10	1.0	6	3.3E+04		
平均	7.3	9.1	0.9	6	3.1E+04		
75%値			1.1				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 木屋川水系

類型： B 測定点：SC-1(豊厚橋)(009-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	9.7	1.0	36	7.9E+02	0.86	0.095
5	7.4	8.0	0.8	29	1.4E+02		
6	7.6	7.0	1.1	29	2.4E+03	0.88	0.11
7	7.2	9.1	0.8	12	1.7E+04		
8	7.6	9.0	1.9	8	1.3E+04	0.84	0.056
9	7.4	6.8	0.7	24	7.0E+03		
10	7.7	7.6	0.6	9	2.4E+03	0.76	0.066
11	7.8	9.6	0.7	5	1.7E+03		
12	7.8	10	0.5	7	7.9E+02	0.74	0.039
1	8.0	11	0.7	8	2.1E+02		
2	8.1	13	0.8	6	3.3E+02	0.74	0.026
3	7.7	12	0.7	15	4.9E+02		
平均	7.7	9.4	0.9	16	3.9E+03	0.80	0.065
75%値			0.8				

類型： A 測定点：SC-2(豊東橋)(010-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	11	1.3	4	1.3E+03	0.62	0.032
5	7.6	11	1.5	2	1.3E+03	0.55	0.045
6	7.6	11	1.7	2	9.2E+03	0.68	0.094
7	7.3	8.6	0.8	4	3.5E+04	0.68	0.045
8	7.5	9.5	0.6	6	1.3E+04	0.55	0.038
9	7.4	9.3	1.0	2	2.4E+04	0.59	0.059
10	7.5	10	0.5	<1	1.7E+03	0.49	0.029
11	7.6	12	0.7	1	2.8E+03	0.65	0.021
12	7.6	11	0.8	1	1.7E+03	0.60	0.019
1	7.8	14	0.6	<1	9.4E+02	0.73	0.030
2	7.6	13	0.8	2	2.3E+02	0.67	0.021
3	7.4	12	0.7	8	7.9E+02	0.68	0.036
平均	7.6	11	0.9	3	7.7E+03	0.62	0.039
75%値			1.0				

類型： A 測定点：SC-3(鳴瀬橋)(010-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	11	1.3	7	1.3E+03	0.65	0.032
5	7.8	11	1.5	4	3.3E+03	0.58	0.038
6	7.9	11	1.1	3	5.4E+04	0.55	0.052
7	7.4	9.5	0.6	3	1.7E+04	0.70	0.030
8	7.6	9.8	1.3	3	3.3E+04	0.61	0.024
9	7.7	9.5	1.1	2	5.4E+04	0.59	0.034
10	7.8	10	<0.5	1	7.9E+03	0.36	0.027
11	7.7	11	1.0	1	7.9E+03	0.54	0.021
12	7.6	11	0.7	2	1.3E+03	0.49	0.019
1	7.8	13	0.8	1	7.9E+02	0.56	0.016
2	7.7	13	1.2	2	4.9E+02	0.57	0.021
3	7.5	12	0.5	4	4.9E+02	0.57	0.024
平均	7.7	11	1.0	3	1.5E+04	0.56	0.028
75%値			1.2				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。



平成21年度 河川

類型： A 測定点：SC-4(吉田堰)(010-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	10	2.0	4	2.2E+03		
5	7.8	10	1.8	3	1.3E+04		
6	8.7	15	4.4	8	9.2E+04		
7	7.1	7.8	0.9	2	2.2E+04		
8	7.4	8.8	0.6	3	1.3E+04		
9	7.4	8.0	0.5	1	4.9E+03		
10	7.6	9.1	0.7	1	7.9E+03		
11	7.6	10	0.8	2	2.4E+03		
12	7.6	11	0.7	2	2.2E+03		
1	8.3	15	0.7	<1	7.9E+02		
2	7.9	13	0.8	1	7.9E+02		
3	7.6	11	0.7	9	4.9E+02		
平均	7.8	11	1.2	3	1.3E+04		
75%値			0.9				

類型： A 測定点：SC-5(西山橋)(010-52)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.5	11	<0.5	2	3.3E+02	0.47	0.022
5	8.8	11	0.5	4	2.8E+03	0.47	0.042
6	8.1	10	<0.5	2	3.3E+03	0.59	0.047
7	7.8	9.2	<0.5	2	4.9E+03	0.60	0.025
8	7.9	9.6	<0.5	1	1.7E+04	0.60	0.016
9	8.2	9.5	<0.5	1	2.8E+03	0.47	0.024
10	8.2	10	<0.5	<1	1.7E+04	0.72	0.035
11	7.8	10	<0.5	<1	3.3E+03	0.76	0.027
12	7.8	11	<0.5	<1	7.9E+02	0.51	0.016
1	7.7	12	0.6	<1	4.9E+02	0.64	0.030
2	7.9	13	<0.5	<1	3.3E+02	0.53	0.014
3	7.7	11	<0.5	2	7.9E+03	0.66	0.014
平均	8.0	11	0.5	2	5.1E+03	0.59	0.026
75%値			<0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 友田川水系

類型： B 測定点：ZC-1(安永橋)(049-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	6.5	0.7	4	7.9E+03	1.3	0.076
5	7.7	5.2	2.2	4	8.0E+02		
6	7.7	4.9	1.3	8	2.6E+02	1.4	0.23
7	7.6	4.0	1.8	4	1.7E+05		
8	7.8	5.9	3.0	3	7.9E+04	1.4	0.048
9	7.9	4.6	1.5	2	1.4E+03		
10	7.8	4.6	1.6	3	6.9E+02	1.2	0.16
11	7.9	5.6	4.2	8	4.9E+02		
12	7.9	6.5	1.7	2	3.5E+03	1.6	0.13
1	8.0	7.2	1.3	9	3.3E+03		
2	7.9	6.5	2.3	4	1.3E+03	1.3	0.083
3	7.8	9.0	1.4	27	4.6E+03		
平均	7.8	5.9	1.9	7	2.3E+04	1.4	0.12
75%値			2.2				

類型： A 測定点：ZC-2(胡麻多橋)(050-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	12	<0.5	<1	5.9E+02		
5	7.8	9.9	<0.5	3	1.4E+02		
6	7.5	8.6	0.9	12	2.7E+02		
7	7.5	8.1	1.3	<1	2.8E+04		
8	7.7	8.5	0.8	<1	9.4E+03		
9	7.9	9.3	1.5	<1	1.2E+02		
10	7.7	8.9	0.9	<1	4.0E+01		
11	7.6	10	<0.5	1	1.1E+02		
12	7.7	10	0.5	<1	1.4E+02		
1	7.9	12	0.6	3	3.3E+02		
2	7.4	10	0.9	1	2.2E+02		
3	7.5	11	0.5	8	1.4E+02		
平均	7.7	9.9	0.8	3	3.3E+03		
75%値			0.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 綾羅木川水系

類型： B 測定点：ZC-3(望洋橋)(047-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	6.2	0.7	5	2.2E+02	1.5	0.092
5	7.5	6.7	0.7	3	8.0E+01		
6	7.5	5.4	1.0	6	8.0E+01	1.4	0.14
7	7.6	4.1	1.1	2	7.0E+03		
8	7.7	7.9	1.1	1	7.0E+03	1.3	0.11
9	7.7	5.1	3.1	3	2.1E+02		
10	7.5	6.6	1.0	1	9.0E+01	1.4	0.16
11	7.7	8.6	0.8	2	1.7E+02		
12	7.6	7.6	0.8	4	3.3E+03	1.8	0.13
1	7.6	8.5	0.9	5	1.1E+02		
2	7.7	7.1	2.7	4	1.7E+02	1.1	0.087
3	7.8	9.8	0.8	6	7.0E+01		
平均	7.6	7.0	1.2	4	1.5E+03	1.4	0.12
75%値			1.1				

類型： A 測定点：ZC-4(石原橋)(048-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	12	0.5	1	2.1E+02		
5	8.2	12	1.0	1	1.1E+02		
6	7.1	7.1	1.2	1	3.3E+02		
7	7.3	8.2	1.0	2	1.1E+05		
8	7.5	9.2	0.7	<1	2.1E+04		
9	7.5	7.3	2.1	1	4.6E+03		
10	7.4	8.7	<0.5	2	9.0E+01		
11	7.8	11	<0.5	<1	9.4E+02		
12	7.7	11	<0.5	1	9.0E+01		
1	7.7	12	1.4	<1	9.4E+02		
2	7.7	12	0.6	<1	9.0E+01		
3	7.4	11	0.6	2	1.4E+02		
平均	7.6	10	0.9	1	1.2E+04		
75%値			1.0				

類型： A 測定点：ZC-7(観月橋)(048-51)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	9.4	0.7	3	2.7E+02		
5	7.6	10	1.1	4	1.7E+02		
6	7.6	10	1.4	10	1.8E+03		
7	7.5	8.7	1.2	2	7.0E+04		
8	8.1	9.2	1.1	1	1.7E+04		
9	7.6	9.0	2.1	4	1.7E+02		
10	7.6	9.4	1.3	4	1.2E+02		
11	7.7	10	0.9	1	3.3E+02		
12	7.5	10	1.9	2	2.2E+03		
1	7.6	10	2.0	3	7.0E+02		
2	7.3	12	3.1	9	2.2E+03		
3	7.5	11	0.9	3	1.7E+02		
平均	7.6	9.9	1.5	4	7.9E+03		
75%値			1.9				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 武久川水系

類型： B 測定点：ZC-5(汐入橋)(046-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	9.0	1.3	4	1.7E+03	1.6	0.081
5	8.6	14	1.0	8	1.4E+02		
6	8.4	12	1.6	12	7.0E+01	1.6	0.13
7	7.9	5.7	0.9	5	1.7E+04		
8	8.3	9.9	1.6	11	2.1E+02	1.1	0.027
9	7.8	6.0	0.7	4	2.1E+02		
10	8.2	8.2	0.9	7	1.4E+02	1.1	0.10
11	8.0	9.0	0.8	7	2.4E+02		
12	7.9	9.0	1.4	5	3.2E+02	1.7	0.12
1	8.0	10	1.4	4	3.3E+02		
2	7.6	8.8	1.3	2	7.9E+03	2.4	0.10
3	8.2	12	1.1	6	7.0E+01		
平均	8.1	9.5	1.2	6	2.4E+03	1.6	0.093
75%値			1.4				

類型： B 測定点：ZC-6(生野橋)(046-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	11	1.4	<1	1.4E+03		
5	9.0	15	1.4	5	2.2E+02		
6	9.4	16	1.5	2	5.0E+01		
7	8.0	9.0	0.9	2	7.0E+04		
8	9.4	15	2.3	4	2.1E+03		
9	8.0	8.4	1.1	1	9.0E+01		
10	9.0	14	2.2	4	1.2E+02		
11	8.6	11	1.8	2	2.4E+02		
12	8.2	11	1.1	<1	4.6E+03		
1	7.9	10	2.3	<1	3.5E+03		
2	7.6	8.5	1.7	2	1.7E+03		
3	8.2	12	2.0	3	5.0E+01		
平均	8.4	12	1.6	2	7.0E+03		
75%値			2.0				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 川棚川水系

類型： B 測定点：DC-1(下村大橋)(059-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	6	2.3E+02	0.57	0.024
5	7.4	9.3	0.7	10	8.0E+01		
6	7.0	8.1	1.3	14	1.4E+03	1.5	0.12
7	7.3	8.0	1.5	2	1.7E+05		
8	7.3	8.2	0.7	2	1.3E+04	0.60	0.020
9	7.7	10	2.0	2	1.2E+02		
10	7.4	9.5	0.5	1	3.2E+02	0.38	0.049
11	7.5	10	<0.5	<1	9.0E+01		
12	7.2	10	1.0	<1	3.9E+02	1.1	0.068
1	7.6	12	<0.5	<1	1.1E+02		
2	7.4	12	0.6	1	2.7E+02	0.69	0.032
3	7.3	11	0.8	3	8.0E+01		
平均	7.4	9.9	0.9	4	1.6E+04	0.81	0.052
75%値			1.0				

類型： A 測定点：DC-2(上畔橋)(060-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	<0.5	<1	1.3E+02		
5	7.5	8.8	0.6	1	1.3E+02		
6	7.3	8.8	0.9	2	2.0E+01		
7	7.5	8.5	1.2	<1	1.3E+04		
8	7.1	8.3	0.6	4	3.3E+03		
9	7.5	8.5	2.0	2	1.1E+02		
10	7.6	9.7	<0.5	<1	4.9E+02		
11	7.7	10	<0.5	1	7.0E+01		
12	7.5	9.7	<0.5	<1	4.0E+02		
1	7.6	12	0.6	<1	1.1E+02		
2	7.5	12	0.6	<1	1.3E+02		
3	7.3	11	<0.5	3	8.0E+01		
平均	7.5	9.9	0.8	2	1.5E+03		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 粟野川水系

類型： A 測定点：LC-5(郷の橋)(051-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.3	10	0.8	2	3.3E+02	0.63	0.028
6	7.7	10	0.7	2	3.3E+02	0.50	0.029
8	7.2	8.7	<0.5	2	2.4E+03	0.43	0.035
10	7.5	11	<0.5	<1	2.4E+03	0.45	0.018
12	7.8	11	0.5	<1	4.9E+02	0.54	0.012
2	7.9	13	<0.5	<1	1.3E+02	0.67	0.016
平均	7.6	11	0.6	2	1.0E+03	0.54	0.023
75%値			0.7				

類型： A 測定点：LC-6(滑川との合流点)(051-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.2	11	0.9	4	1.1E+03		
6	8.4	10	0.9	3	2.3E+03		
8	7.8	9.5	<0.5	2	1.3E+04		
10	8.7	10	<0.5	<1	1.3E+03		
12	8.1	12	0.5	<1	3.3E+02		
2	8.2	12	<0.5	1	4.9E+02		
平均	8.2	11	0.6	2	3.1E+03		
75%値			0.9				

類型： A 測定点：LC-7(出合橋)(051-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	11	0.8	2	1.1E+03		
6	8.2	10	1.0	2	4.9E+03		
8	7.9	10	<0.5	2	1.1E+04		
10	8.7	10	<0.5	<1	3.5E+03		
12	8.1	12	0.5	<1	4.6E+02		
2	8.1	12	<0.5	1	2.3E+02		
平均	8.2	11	0.6	2	3.5E+03		
75%値			0.8				

類型： AA 測定点：LC-8(蓋之井川合流点2Km上流)(052-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	10	0.5	<1	1.3E+03		
6	7.2	9.1	0.5	<1	3.3E+03		
8	7.0	9.6	<0.5	<1	3.3E+03		
10	7.6	9.4	<0.5	<1	3.5E+03		
12	7.7	11	<0.5	<1	2.3E+02		
2	7.0	12	<0.5	<1	2.3E+02		
平均	7.3	10	0.5	<1	2.0E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 掛淵川水系

類型： A 測定点：LC-1(やなば橋)(053-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.8	10	1.0	5	7.9E+02	0.70	0.056
6	7.2	7.2	2.0	10	1.4E+04	1.1	0.11
8	7.7	9.0	0.5	3	1.3E+04	0.51	0.040
10	7.9	10	<0.5	1	4.9E+03	0.45	0.049
12	7.7	11	0.5	<1	3.3E+03	0.60	0.046
2	8.6	16	0.7	1	4.9E+02	0.39	0.040
平均	7.8	11	0.9	4	6.1E+03	0.63	0.057
75%値			1.0				

類型： A 測定点：LC-2(滑橋下流30m)(053-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	0.6	2	2.8E+02		
6	7.3	8.7	0.6	2	7.9E+04		
8	7.7	9.4	<0.5	2	1.3E+04		
10	7.8	10	<0.5	<1	4.9E+03		
12	7.7	12	0.6	<1	3.3E+02		
2	7.5	13	<0.5	<1	4.9E+02		
平均	7.6	11	0.6	2	1.6E+04		
75%値			0.6				

類型： A 測定点：LC-3(阿惣橋)(053-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.4	11	<0.5	1	4.9E+02	0.42	0.005
6	6.8	7.3	<0.5	1	1.3E+04	0.37	0.009
8	7.1	8.5	<0.5	1	2.4E+04	0.47	0.009
10	6.8	7.5	<0.5	<1	1.1E+04	0.28	0.003
12	7.0	9.5	<0.5	<1	2.8E+03	0.62	0.006
2	7.2	12	0.6	<1	7.9E+02	0.44	0.006
平均	7.1	9.3	0.5	1	8.7E+03	0.43	0.006
75%値			<0.5				

類型： A 測定点：LC-4(油谷碎石排水口下流50m)(053-04)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	10	<0.5	2	3.3E+02		
6	7.5	9.2	0.5	1	4.9E+03		
8	7.5	8.9	<0.5	2	3.3E+03		
10	7.8	10	<0.5	<1	7.9E+03		
12	7.5	11	<0.5	<1	4.9E+02		
2	7.5	12	0.6	1	1.3E+02		
平均	7.6	10	0.5	1	2.8E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 深川川水系

類型： A 測定点：FC-1(緑橋)(037-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	9.7	0.5	1	7.9E+02	0.52	0.020
6	7.5	8.9	0.8	4	1.3E+04	0.92	0.070
8	7.7	9.4	<0.5	1	2.4E+04	0.58	0.030
10	7.7	10	0.5	<1	1.4E+04	0.48	0.026
12	7.5	10	<0.5	<1	3.3E+02	0.60	0.020
2	7.7	13	<0.5	1	2.4E+02	0.68	0.015
平均	7.6	10	0.6	2	8.7E+03	0.63	0.030
75%値			0.5				

類型： A 測定点：FC-2(湯本の橋)(037-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.0	11	<0.5	1	2.2E+03		
6	7.8	9.1	<0.5	2	3.3E+04		
8	8.0	8.9	<0.5	1	3.3E+03		
10	8.2	10	<0.5	<1	4.9E+03		
12	7.7	11	<0.5	<1	1.7E+03		
2	7.9	13	<0.5	<1	2.4E+03		
平均	7.9	11	<0.5	1	7.9E+03		
75%値			<0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。



平成21年度 河川

水域名 三隅川水系

類型： A 測定点：MC-1(琴橋)(061-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	12	0.7	3	3.3E+03	0.65	0.021
6	7.5	7.8	0.8	3	3.3E+03	0.54	0.051
8	7.7	9.3	<0.5	2	4.9E+03	0.69	0.027
10	7.5	9.6	<0.5	1	7.9E+03	0.61	0.022
12	7.4	9.7	<0.5	1	3.3E+02	0.86	0.022
2	7.5	12	<0.5	<1	7.9E+02	0.67	0.015
平均	7.6	10	0.6	2	3.4E+03	0.67	0.026
75%値			0.7				

類型： A 測定点：MC-2(麓橋)(061-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	9.1	13	0.8	2	7.9E+01		
6	7.6	8.9	0.6	3	7.0E+03		
8	8.0	9.3	<0.5	2	1.3E+04		
10	8.0	10	<0.5	<1	2.4E+04		
12	7.8	11	<0.5	<1	4.9E+02		
2	7.7	13	<0.5	<1	4.9E+02		
平均	8.0	11	0.6	2	7.5E+03		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 阿武川水系

類型： A 測定点：BC-1(萩橋) (038-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	12	<0.5	<1	2.2E+02		
6	7.5	9.6	<0.5	1	1.7E+03		
8	7.5	8.8	<0.5	1	7.9E+03		
10	7.6	8.9	<0.5	1	7.9E+03		
12	7.6	10	<0.5	<1	1.3E+03		
2	8.4	10	<0.5	2	1.1E+02		
平均	7.8	9.9	<0.5	1	3.2E+03		
75%値			<0.5				

類型： A 測定点：BC-2(玉江橋) (038-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.1	9.4	0.6	<1	1.3E+01		
6	7.6	8.9	<0.5	1	3.3E+03		
8	7.6	8.8	<0.5	1	4.9E+03		
10	8.0	7.6	0.7	2	7.0E+03		
12	7.9	9.9	0.8	1	7.9E+02		
2	8.2	8.7	0.7	4	4.5E+00		
平均	7.9	8.9	0.6	2	2.7E+03		
75%値			0.7				

類型： A 測定点：BC-3(明木川合流点下50m) (038-03)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	<1	2.8E+02		
6	7.5	9.7	0.9	3	4.9E+02		
8	7.4	8.7	<0.5	2	7.0E+03		
10	7.4	8.3	<0.5	<1	4.9E+03		
12	7.4	9.7	<0.5	<1	4.9E+02		
2	7.9	12	0.5	1	1.3E+03		
平均	7.5	9.9	0.6	2	2.4E+03		
75%値			0.5				

類型： AA 測定点：BC-4(聴秋橋) (066-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.6	11	<0.5	2	3.3E+02		
6	7.6	9.1	0.6	1	7.9E+02		
8	7.6	8.9	<0.5	2	7.0E+03		
10	7.7	9.9	<0.5	<1	7.0E+02		
12	7.7	11	<0.5	<1	1.3E+02		
2	7.6	11	0.6	1	7.9E+01		
平均	7.6	10	0.5	1	1.5E+03		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

類型：AA 測定点：BC-5(白井谷川合流点の橋)(067-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	8.3	10	<0.5	2	1.1E+02		
6	8.2	9.1	<0.5	1	4.9E+02		
8	8.0	9.1	<0.5	2	4.9E+03		
10	8.0	8.9	<0.5	2	4.9E+03		
12	8.1	11	<0.5	1	1.7E+03		
2	8.2	11	<0.5	1	2.4E+02		
平均	8.1	9.9	<0.5	2	2.1E+03		
75%値			<0.5				

類型：AA 測定点：BC-6(長者原の橋)(040-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.5	11	<0.5	<1	3.3E+02		
6	7.4	9.4	0.5	1	7.0E+02		
8	7.4	9.1	<0.5	1	1.1E+04		
10	7.5	10	<0.5	<1	2.4E+03		
12	7.5	11	<0.5	<1	1.1E+02		
2	7.5	11	1.0	1	2.3E+01		
平均	7.5	10	0.6	1	2.4E+03		
75%値			0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 大井川水系

類型： A 測定点：0C-1(大井橋)(062-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	10	<0.5	<1	3.3E+02		
6	7.2	7.5	0.5	1	7.9E+03		
8	7.1	9.0	<0.5	1	4.9E+03		
10	7.4	8.8	<0.5	<1	7.9E+03		
12	7.3	10	<0.5	1	3.3E+03		
2	7.4	10	<0.5	1	7.9E+02		
平均	7.3	9.2	0.5	1	4.2E+03		
75%値			<0.5				

類型： A 測定点：0C-2(高木橋)(062-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.2	12	<0.5	<1	4.9E+01		
6	7.0	9.1	0.6	1	1.3E+04		
8	7.2	9.4	<0.5	2	1.7E+04		
10	7.2	10	<0.5	<1	7.0E+03		
12	7.1	11	<0.5	<1	1.7E+02		
2	7.3	11	<0.5	1	1.7E+02		
平均	7.2	10	0.5	1	6.2E+03		
75%値			<0.5				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。

平成21年度 河川

水域名 田万川水系

類型： A 測定点：TC-1(須潟橋)(063-01)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.7	11	<0.5	2	4.9E+01		
6	7.6	8.1	0.6	3	4.9E+03		
8	7.5	8.9	<0.5	2	3.3E+03		
10	7.8	8.7	<0.5	1	2.4E+04		
12	7.5	10	<0.5	1	3.3E+02		
2	8.3	11	0.5	2	2.3E+01		
平均	7.7	9.6	0.5	2	5.4E+03		
75%値			0.5				

類型： A 測定点：TC-2(高岩橋)(063-02)

月	pH	DO	BOD	SS	大腸菌群数	T-N	T-P
4	7.9	12	0.6	2	2.4E+02		
6	7.5	8.6	0.6	5	7.0E+03		
8	7.9	9.1	<0.5	1	1.7E+04		
10	7.6	10	<0.5	<1	1.3E+04		
12	7.9	12	<0.5	1	1.3E+03		
2	7.9	11	1.1	3	3.3E+01		
平均	7.8	10	0.6	2	6.4E+03		
75%値			0.6				

単位等：大腸菌群数 MPN/100ml、その他（pHを除く）mg/lを示す。  
採取位置の全層とは、表層、中層及び底層の平均を示す。